


2017

CEILING MOUNT WALL SCONCE VANITY



E Lighting

AFFORDABLE ENERGY SOLUTIONS



CEILING

TERMS & CONDITIONS

- 1. Terms** All accounts subject to a late penalty of 1 1/2% per month on all invoices that exceed 30 days. But in no event higher than permitted by law in the state where the obligation is payable.
- 2. Ordering** **Written or faxed** orders are requested. Minimum quantity requirements may vary from product to product.
- 3. Minimum Order** \$100 per shipment. Will-call orders \$100.00. Orders less than the minimum are subject to a \$10.00 fee.
- 4. Shipments** Specify on your order whether the shipment is to be made by UPS or Truck lines. Where no instructions are given, our shipping department will use its best judgment. Please note that we can not pack our product sufficiently to stop all damage by this type of carrier. The receipt of the goods must check in all orders for damage at the time of receipt. E Lighting assumes no responsibility for damage not noted at the time of delivery.
- 5. Drop Shipments** E Lighting (shipper) assumes no responsibility for damage or shortages on any Drop shipment that the recipient does not note on the freight bill. All drop shipments are shipped FOB at the point of shipment. Any goods received with damages are to be reported upon receipt to the carrier and a claim filed with them. The carrier is responsible for loss or breakage in transit, not the shipper. All drop ship orders are subject to a minimum fee of \$6.00 per bill of lading.
- 6. Freight Claims** Should any damage occur in transit DO NOT REFUSE TO ACCEPT THE SHIPMENT, as this causes you unnecessary shipping expense and delay. Any goods received with damages are to be reported upon receipt to the carrier and a claim filed with them. The carrier is responsible for loss or breakage in transit, not the shipper.
- 7. Returns** No merchandise is to be returned without prior authorization. Call 1-855-500-8882 & ask Customer Service for a return authorization.
- 8. Claims** All claims must be made in writing within 10 days after receipt of merchandise. All shipments should be inspected for damage upon delivery. E Lighting is not responsible for merchandise not inspected at the time of delivery.
- 9. Freight Policy** All orders are shipped freight collect unless prior arrangements have been made. All prepaid shipments must be paid within terms or loss of freight allowance will occur.
- 10. Prices** Receive our best price by ordering in standard cartons. Our prices are subject to change without notice. Pricing levels include Non-Distributor, Distributor and Master Distributor.
- 11. Non-Stock** Purchaser understands that all non-stock, special, custom, or modified versions of normal factory-stock items are not returnable.

Limited Warranty: All fixtures and products manufactured by E Lighting are warranted to be free from defects in workmanship and materials, as manufactured, for a period of Two full years from date of invoice. The illustrations and descriptions of the products also shown herein are for the sole purpose of identification and are not intended to imply that the products will fit any particular purpose or necessarily conform to the illustrations and/or the description.

Implied Labor Warranty





E Lighting will not accept any liability for labor claims, loss of profit, repairs or any other expenses incidental to replacement. The limited warranty of E Lighting brand lighting products is expressly in lieu of all other warranties, express, statutory or implied including the warranty of merchantability and fitness for a particular purpose.

Product Warranty


WARRANTY - ALL products in this catalog, other than our LED fixtures which has a Limited Power Supply warranty (Module, PC Board Diodes and Drivers) for three (3) years, are warranted to be free of defects in material and workmanship for one (1) year from date of purchase. This warranty is Limited to the correction of any such defect, or the replacement of any such defective item, provided that: (a) item(s) was (were) purchased from an authorized E Lighting distributor; (b) we are properly notified and consent to the return of the item(s) in question; (c) the item(s) is/are returned with proof of purchase date; and (d) it is found upon inspection by us that the item(s) is/are defective as noted above. This warranty does not cover Labor costs or consequential damages, nor does it apply to any item(s) that has/have been improperly installed, overloaded, altered, or otherwise abused by the customer, its agent(s) or employee(s).

ALL finishes have a Limited warranty for three (3) years, are specifically excluded from the terms of this warranty since they are subject to environmental and maintenance damages beyond our control. Other than the described obligation, we assume no further Liability with respect to the sale or use of our products. We make no warranty, express or implied, and disclaim any warranty of merchantability or fitness for a particular purpose.




SUMMARY










SUMMARY


















SUMMARY












SUMMARY



SUMMARY



SUMMARY



CEILING



Integrated light engines available in some fixtures as a replacement to standard lamp sockets upon request. Look for this symbol in the catalog for fixtures with an I.L.E. option.



4580

- Brushed Nickel, or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 13.25" W x 4.75" H
- Lamp Sold Separately

4582

- Brushed Nickel, or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 15" W x 5.75" H
- Lamp Sold Separately

4584

- Brushed Nickel, or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 17" W x 5.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4580	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4580	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4580	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4582	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4582	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4582	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4584	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4584	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4584	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4676

- Brushed Nickel, or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 12.25" W x 4.75" H
- Lamp Sold Separately

4677

- Brushed Nickel, or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 15.25" W x 5.25" H
- Lamp Sold Separately

4678

- Brushed Nickel, or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 18" W x 7" H
- Lamp Sold Separately



4802

- Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 10" W x 5" H
- Lamp Sold Separately

4804

- Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 12" W x 5" H
- Lamp Sold Separately

4806

- Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 15.5" W x 5.5" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4676	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4676	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4676	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4677	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4677	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4677	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4678	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4678	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4678	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4802	E26	INC	60	B11018	120	CH	27K	550	97	750
CFL4802	GU24	CFL	13	LVC-13-SP-27	120	CH	27K	800	82	10,000
LED4802	GU24	LED	7	B1006	110-277	CH	27K	450	82	40,000
INC4804	E26	INC	60	B11018	120	CH	27K	550	97	750
CFL4804	GU24	CFL	13	LVC-13-SP-27	120	CH	27K	800	82	10,000
LED4804	GU24	LED	7	B1006	110-277	CH	27K	450	82	40,000
INC4806	E26	INC	60	B11018	120	CH	27K	550	97	750
CFL4806	GU24	CFL	13	LVC-13-SP-27	120	CH	27K	800	82	10,000
LED4806	GU24	LED	7	B1006	110-277	CH	27K	450	82	40,000

CEILING



4662

- Brushed Nickel, or Chrome
- Vanilla Cloth Fabric, Etched Glass Bottom
- 2 Sockets
- Ceiling mount
- 14.75" W x 6" H
- Lamp Sold Separately



4664

- Brushed Nickel, or Chrome
- Vanilla Cloth Fabric, Etched Glass Bottom
- 3 Sockets
- Ceiling mount
- 20.5" W x 6" H
- Lamp Sold Separately



4670

- Brushed Nickel, or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 11" W x 3.75" H
- Lamp Sold Separately



4672

- Brushed Nickel, or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 14" W x 3.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4662	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4662	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4662	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4664	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4664	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4664	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4670	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4670	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4670	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4672	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4672	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4672	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4106

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 4.75" H
- Lamp Sold Separately



4116

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 4.75" H
- Lamp Sold Separately



4108

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 4.75" H
- Lamp Sold Separately



4112

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 4.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
CFL4106	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED4106	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
CFL4108	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED4108	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
CFL4112	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED4112	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
CFL4116	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED4116	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000

CEILING



4730

- Brushed Nickel, or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 6" W x 3.75" H
- Lamp Sold Separately



4731

- Brushed Nickel, or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 11" W x 4" H
- Lamp Sold Separately



4732

- Brushed Nickel, or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 13" W x 4.5" H
- Lamp Sold Separately

4741

- Brushed Nickel, or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 9.75" W x 4.5" H
- Lamp Sold Separately



Integrated light engines available in some fixtures as a replacement to standard lamp sockets upon request. Look for this symbol in the catalog for fixtures with an I.L.E. option.

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4730	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4730	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4730	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC46731	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4731	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4731	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4732	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4732	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4732	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4741	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4741	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4741	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4780

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Acrylic Lens
- 1 Socket
- Ceiling mount
- 10" W x 4.75" H
- Lamp Sold Separately

4782

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Acrylic Lens
- 2 Sockets
- Ceiling mount
- 14.75" W x 4.75" H
- Lamp Sold Separately

4784

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Acrylic Lens
- 3 Sockets
- Ceiling mount
- 16.25" W x 4.75" H
- Lamp Sold Separately

4786-4

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Acrylic Lens
- 4 Sockets
- Ceiling mount
- 24" W x 4.75" H
- Lamp Sold Separately

4786-5

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Acrylic Lens
- 5 Sockets
- Ceiling mount
- 24" W x 4.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4780	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4780	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4780	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4782	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4782	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4782	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4784	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4784	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4784	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4786	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4786	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4786	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4786-5	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4786-5	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4786-5	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING



4404

- Brushed Nickel, or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 14.5" W x 5.5" H
- Lamp Sold Separately

4406

- Brushed Nickel, or Chrome
- Frosted Glass
- 3 Sockets
- Ceiling mount
- 19" W x 5.5" H
- Lamp Sold Separately



4394

- Brushed Nickel, or Chrome
- Frost White Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.25" H
- Lamp Sold Separately

Euro Style

easy access for lamp changes



4573

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Ceiling mount
- 13" W x 3.75" H
- Lamp Sold Separately

4578

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 17" W x 3.75" H
- Lamp Sold Separately

4579

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 20" W x 3.75" H
- Lamp Sold Separately

Lift & Shift Acrylic Lens

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4404	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4404	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4404	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4406	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4406	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4406	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4394	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4394	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4394	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4573	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4573	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4573	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4578	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4578	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4578	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC4579	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4579	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4579	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING

4370

- Brushed Nickel, or Chrome
- Frosted Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4372

- Brushed Nickel, or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 13" W x 5.5" H
- Lamp Sold Separately

4374

- Brushed Nickel, or Chrome
- Frosted Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.5" H
- Lamp Sold Separately



4380

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 1 Socket
- Ceiling mount
- 11" W x 3.75" H
- Lamp Sold Separately

4382

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 2 Sockets
- Ceiling mount
- 13" W x 3.75" H
- Lamp Sold Separately



4384

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 3 Sockets
- Ceiling mount
- 15" W x 3.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4370	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4370	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4370	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4372	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4372	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4372	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4374	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4374	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4374	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4380	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4380	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4380	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4382	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4382	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4382	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4384	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4384	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4384	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING



4610

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 1 Socket
- Ceiling mount
- 12" W x 4" H
- Lamp Sold Separately

4611

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 2 Sockets
- Ceiling mount
- 15" W x 6" H
- Lamp Sold Separately

4612

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 3 Sockets
- Ceiling mount
- 20" W x 6" H
- Lamp Sold Separately

4620

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 11.5" W x 4" H
- Lamp Sold Separately

4622

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15.5" W x 4.75" H
- Lamp Sold Separately

4623

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 4 Sockets
- Ceiling mount
- 19.25" W x 5" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4610	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4610	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4610	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4611	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4611	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4611	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4612	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4612	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4612	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4620	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4620	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4620	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4622	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4622	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4622	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4623	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4623	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4623	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING



4630

- Brushed Nickel, or Chrome
- Frosted White Glass
- 2 Sockets
- Ceiling mount
- 12" W x 3.5" H
- Lamp Sold Separately



4634

- Brushed Nickel, or Chrome
- Frosted White Glass
- 3 Sockets
- Ceiling mount
- 16" W x 3.5" H
- Lamp Sold Separately



4680

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 8.5" W x 10.25" H
- Lamp Sold Separately



4681

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 4.25" W x 6.75" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4630	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4630	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4630	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4634	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4634	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4634	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4680	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4680	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4680	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4681	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4681	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4681	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4560

- Brushed Nickel, Oil Rubbed Bronze, or White
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 11" W x 3" H
- Lamp Sold Separately



4563

- Brushed Nickel, Oil Rubbed Bronze, or White
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 3" H
- Lamp Sold Separately



4560EM

- White Finish
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- Emergency Back Up Battery
- 11" W x 6" H
- Lamp Sold Separately



4563EM

- White Finish
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- Emergency Back Up Battery
- 14" W x 6" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
CFL4560	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, WH	27K	800	82	10,000
LED4560	GU24	LED	7	B1006	110-277	BN, ORB, WH	27K	450	82	40,000
CFL4563	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, WH	27K	800	82	10,000
LED4563	GU24	LED	7	B1006	110-277	BN, ORB, WH	27K	450	82	40,000
CFL4560EM	G24Q-1	CFL	13	EP606	120	WH	27K	900	82	10,000
LED4560EM	GU24	LED	7	B2107	110-277	WH	27K	450	82	40,000
CFL4563EM	G24Q-1	CFL	13	EP606	120	WH	27K	900	82	10,000
LED4563EM	GU24	LED	7	B2107	110-277	WH	27K	450	82	40,000

CEILING



4518

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 11" W x 3" H
- Lamp Sold Separately

4530

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14" W x 3" H
- Lamp Sold Separately

4532

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 4 Sockets
- Ceiling mount
- 19" W x 4.5" H
- Lamp Sold Separately



4518EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- Emergency Back Up Battery
- 11" W x 6" H
- Lamp Sold Separately



4530EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- Emergency Back Up Battery
- 14" W x 6" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
CFL4518	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED4518	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
CFL4518EM	G24Q-1	CFL	13	EP606	120	BN, WH, ORB	27K	900	82	10,000
LED4518EM	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
CFL4530	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED4530	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
CFL4530EM	G24Q-1	CFL	13	EP606	120	BN, WH, ORB	27K	900	82	10,000
LED4530EM	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
CFL4532	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED4532	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000

CEILING



4470

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4471

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4472

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately

4540

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4541

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 2 Sockets
- Ceiling mount
- 13" W x 5.5" H
- Lamp Sold Separately



4542

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.5" H
- Lamp Sold Separately

4546

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 4 Sockets
- Ceiling mount
- 18" W x 5.5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4470	E26	INC	60	B11018	120	BN, CH, WH, ORB	27K	550	97	750
CFL4470	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH, ORB	27K	800	82	10,000
LED4470	GU24	LED	7	B1006	110-277	BN, CH, WH, ORB	27K	450	82	40,000
INC4471	E26	INC	60	B11018	120	BN, CH, WH, ORB	27K	550	97	750
CFL4471	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH, ORB	27K	800	82	10,000
LED4471	GU24	LED	7	B1006	110-277	BN, CH, WH, ORB	27K	450	82	40,000
INC4472	E26	INC	60	B11018	120	BN, CH, WH, ORB	27K	550	97	750
CFL4472	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH, ORB	27K	800	82	10,000
LED4472	GU24	LED	7	B1006	110-277	BN, CH, WH, ORB	27K	450	82	40,000
INC4540	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4540	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4540	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4541	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4541	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4541	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4542	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4542	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4542	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4546	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4546	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4546	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000

CEILING



4350

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately



4352

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately

4351

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4460

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4461

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4462

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4350	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4350	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4350	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4351	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4351	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4351	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4352	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4352	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4352	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC4460	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4460	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4460	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4461	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4461	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4461	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4462	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4462	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4462	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING

4430

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4431

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4432

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately



4440

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4441

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13" W x 5.5" H
- Lamp Sold Separately

4442

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4430	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4430	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4430	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4431	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4431	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4431	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4432	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4432	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4432	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4440	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4440	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4440	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4441	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4441	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4441	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4442	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4442	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4442	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING



4220

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately



4221

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4222


- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately

4364

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

4366

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately



4368

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4220	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4220	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4220	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4221	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4221	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4221	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4222	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4222	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4222	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4364	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4364	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4364	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4366	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4366	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4366	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4368	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4368	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4368	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

CEILING



4320

- Brushed Nickel, or Chrome
- Frosted Melon Glass
- 1 Socket
- Ceiling mount
- 11" W x 5" H
- Lamp Sold Separately



4330

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately



4321

- Brushed Nickel, or Chrome
- Frosted Melon Glass
- 2 Sockets
- Ceiling mount
- 13" W x 6" H
- Lamp Sold Separately

4331

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13" W x 5.5" H
- Lamp Sold Separately

4322

- Brushed Nickel, or Chrome
- Frosted Melon Glass
- 3 Sockets
- Ceiling mount
- 15" W x 6.5" H
- Lamp Sold Separately

4332

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4320	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4320	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4320	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4321	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4321	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4321	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4322	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4322	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4322	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4330	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4330	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4330	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4331	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4331	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4331	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4332	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4332	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4332	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING

4274

4295




- Brushed Nickel, Chrome, or White
- Frosted Ribbed Glass
- Ceiling mount
- 4274 - 7.5" W x 4.75" H - 1 Socket
- 4295 - 9.5" W x 4.75" H - 2 Sockets
- Lamp Sold Separately



4210

4215



- Brushed Nickel, Chrome, or White
- White Opal Glass
- Ceiling mount
- 4210 - 7.5" W x 4.75" H - 1 Socket
- 4215 - 9.5" W x 4.75" H - 2 Sockets
- Lamp Sold Separately



4208


4209



- Brushed Nickel, Chrome, or White
- Clear Ribbed Glass
- Ceiling mount
- 4208 - 7.5" W x 4.75" H - 1 Socket
- 4209 - 9.5" W x 4.75" H - 2 Sockets
- Lamp Sold Separately



EXAMPLE ON HOW TO ORDER



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4208	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4208	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4208	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC4209	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4209	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4209	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC4210	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4210	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4210	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC4215	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4215	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4215	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC4274	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4274	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4274	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC4295	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL4295	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED4295	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000

CEILING



4000

- Brushed Nickel, Chrome or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Ceiling mount
- 6" W x 8" H
- Lamp Sold Separately



4013

- Brushed Nickel, Chrome or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 6" W x 8" H
- Lamp Sold Separately



4002

- Brushed Nickel, Chrome or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Ceiling mount with Pull Chain
- 6" W x 8" H
- Lamp Sold Separately



4016

- Oil Rubbed Bronze Finish
- Tuscan Scavo Glass
- 1 Socket
- Ceiling mount
- 6" W x 8" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4000	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4000	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4000	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4002	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4002	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4002	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4013	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL4013	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED4013	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC4016	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL4016	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED4016	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000

CEILING



4212

- White Finish
- White Opal Glass
- 1 Socket
- Ceiling mount with Pull Chain
- 7.5" W x 4.75" H
- Lamp Sold Separately



4299

- White Finish
- White Opal Glass
- 2 Sockets
- Ceiling mount
- 11.5" W x 5.5" H
- Lamp Sold Separately



4294

- Brushed Nickel, or Chrome
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 7.5" W x 4.75" H
- Lamp Sold Separately



4297

- Brushed Nickel, or Chrome
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 9.5" W x 4.75" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4212	E26	INC	60	B11018	120	WH	27K	550	97	750
CFL4212	GU24	CFL	13	LVC-13-SP-27	120	WH	27K	800	82	10,000
LED4212	GU24	LED	7	B1006	110-277	WH	27K	450	82	40,000
INC4299	E26	INC	60	B11018	120	WH	27K	550	97	750
CFL4299	GU24	CFL	13	LVC-13-SP-27	120	WH	27K	800	82	10,000
LED4299	GU24	LED	7	B1006	110-277	WH	27K	450	82	40,000
INC4294	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4294	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4294	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4297	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4297	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4297	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4420

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 1 Socket
- Ceiling mount
- 11.75" W x 3.5" H
- Lamp Sold Separately

4422

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 2 Sockets
- Ceiling mount
- 13.75" W x 3.5" H
- Lamp Sold Separately

4424

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 3 Sockets
- Ceiling mount
- 15.75" W x 3.5" H
- Lamp Sold Separately



4590

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 1 Socket
- Ceiling mount
- 10" W x 3.5" H
- Lamp Sold Separately

4592

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 2 Sockets
- Ceiling mount
- 12" W x 3.5" H
- Lamp Sold Separately

4594

- Brushed Nickel, or Chrome
- Frost Glass with Clear Edge
- 3 Sockets
- Ceiling mount
- 14" W x 3.5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4420	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4420	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4420	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4422	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4422	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4422	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4424	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4424	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4424	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4590	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4590	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4590	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4592	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4592	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4592	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4594	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4594	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4594	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

CEILING



4682



- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 7" W x 7" H
- Lamp Sold Separately



4684



- Brushed Nickel, or Chrome
- Frosted Melon Glass
- 1 Socket
- Ceiling mount
- 7" W x 6.25" H
- Lamp Sold Separately



4686



- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 9.5" W x 7" H
- Lamp Sold Separately



4694



- Brushed Nickel, or Chrome
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 9.5" W x 7" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC4682	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4682	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4682	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4684	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4684	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4684	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4686	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4686	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4686	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC4694	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL4694	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED4694	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

LAMPS USED IN THIS SECTION



B2107

7 Watt • GU24 Base • 27/41K
700 Lumens • 50,000 Rated Hrs.



LVC-13-SP-27

13 Watt • GU24 Base • 27K
800 Lumens • 10,000 Rated Hrs.



B11018

60 Watt • E26 Base • 545 Lumens
5,000 Rated Hrs.



B1006

7 Watt • GU24 Base • 27/41K
700 Lumens • 50,000 Rated Hrs.



EP606

13 Watt • G24Q-1 Base • 27K
900 Lumens • 10,000 Rated Hrs.

WALL SCONCES



ROOM SCONCE





3130

- Faux Brown Leather with Antique Brass, or Oil Rubbed Bronze Trim
- Off White Linen Shade
- 1 Socket
- Wall mount
- 5.75" W x 23" H x 4" Ext.
- Lamp Sold Separately



3134

- Crushed Nickel or Chrome with High Gloss Black Trim
- White Acrylic Lens
- 1 Socket
- Wall mount
- 5.75" W x 22.875" H x 3.875" Ext.
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3130	E26	INC	60	B11018	120	AB, ORB	27K	550	97	750
CFL3130	GU24	CFL	13	LVC-13-SP-27	120	AB, ORB	27K	800	82	10,000
LED3130	GU24	LED	7	B1006	110-277	AB, ORB	27K	450	82	40,000
INC3134	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3134	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3134	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE

3560

- Brushed Nickel, or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 7" W x 12.5" H x 3.75" Ext.
- Lamp Sold Separately



ADA

3572

- Brushed Nickel, or Chrome
- Clear Glass
- 1 Socket
- Wall mount
- 6.5" W x 12" H x 6" Ext.
- Lamp Sold Separately



ADA

3568

- Brushed Nickel, or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 8" W x 9.5" H x 3.5" Ext.
- Lamp Sold Separately



ADA

3564

- Brushed Nickel, or Chrome
- White Frosted Glass
- 2 Sockets
- Wall mount
- 12" W x 7" H x 4" Ext.
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3560	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3560	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3560	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3564	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3564	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3564	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3568	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3568	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3568	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3572	E26	INC	60	B14683	120	BN, CH	27K	550	97	750

WALL SCONCE



ADA

3230

- Brushed Nickel, or Chrome
- White Linen Fabric
- 1 Socket
- Wall mount
- 7.5" W x 11" H x 4" Ext.
- Lamp Sold Separately



3604

- Brushed Nickel, or Chrome
- White Linen Fabric
- 1 Socket
- Wall mount
- 16" W x 11" H x 7" Ext.
- Lamp Sold Separately



ADA

3340

- Brushed Nickel, or Chrome
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 9.5" W x 10.5" H x 4" Ext.
- Lamps Sold Separately



ADA

3262

- Brushed Nickel, or Chrome
- White Linen Fabric
- 2 Sockets
- Wall mount
- 11" W x 14.25" H x 3.25" Ext.
- Lamps Sold Separately



ADA

3260

- Brushed Nickel, or Chrome
- White Linen Fabric
- 1 Socket
- Wall mount
- 5.5" W x 14.25" H x 3.25" Ext.
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3230	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3230	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3230	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3260	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3260	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3260	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3262	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3262	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3262	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3340	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3340	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3340	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3604	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3604	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3604	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE



3102

- Brushed Nickel, or Chrome
- Opal Glass with Clear Edge Trim
- 1 Socket
- Wall mount
- 10" W x 15" H x 4" Ext.
- Lamp Sold Separately

ADA



3104

- Brushed Nickel, or Chrome
- Opal Glass with Clear Edge Trim
- 1 Socket
- Wall mount
- 8.25" W x 14" H x 4" Ext.
- Lamp Sold Separately

ADA



3232

- Brushed Nickel, or Chrome
- Frosted Glass
- 1 Socket
- Wall mount
- 7.5" W x 13" H x 4" Ext.
- Lamp Sold Separately

ADA



ADA

3600

- Brushed Nickel, or Chrome
- Frosted Glass with Clear Edge
- 1 Socket
- Wall mount
- 15.5" W x 10" H x 3.25" Ext.
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3102	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3102	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3102	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3104	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3104	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3104	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3232	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3232	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3232	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3600	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3600	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3600	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE



ADA

3576

- Brushed Nickel, or Chrome
- White Frosted Glass
- 2 Sockets
- Wall mount
- 12" W x 12" H x 4" Ext.
- Lamps Sold Separately



ADA

3580

- Brushed Nickel, or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 14" W x 11.375" H x 3.125" Ext.
- Lamp Sold Separately



ADA

3584

- Brushed Nickel, or Chrome
- Etched Opal Glass
- 1 Socket
- Wall mount
- 4.5" W x 13.5" H x 4" Ext.
- Lamp Sold Separately



3592

- Brushed Nickel, or Chrome
- Clear Glass
- 1 Socket
- Wall mount
- 4.5" W x 9.5" H x 4.75" Ext.
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3576	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3576	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3576	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3580	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3580	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3580	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3584	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3584	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3584	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3592	T4	INC	35	S4621	120	BN, CH	27K	400	97	2,000
LED3592	GU24	LED	7	B1144	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE



ADA

3450

- Brushed Nickel, or Oil Rubbed Bronze
- White Cloth Shade
- 1 Socket
- Wall mount
- 7.5" W x 18" H x 4" Ext.
- Lamp Sold Separately



ADA

3454

- Brushed Nickel, or Oil Rubbed Bronze
- Terra Cloth Shade
- 1 Socket
- Wall mount
- 7.5" W x 18" H x 4" Ext.
- Lamp Sold Separately



ADA

3452

- Brushed Nickel, or Oil Rubbed Bronze
- White Cloth Shade
- 2 Sockets
- Wall mount
- 12.5" W x 18" H x 4" Ext.
- Lamps Sold Separately



ADA

3456

- Brushed Nickel, or Oil Rubbed Bronze
- Terra Cloth Shade
- 2 Sockets
- Wall mount
- 12.5" W x 18" H x 4" Ext.
- Lamps Sold Separately



ADA

3596

- Black Finish
- White Fabric with Black Mesh & Trim
- 1 Socket
- Wall mount
- 9" W x 23" H x 4" Ext.
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3450	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3450	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3450	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3452	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3452	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3452	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3454	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3454	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3454	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3456	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3456	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3456	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3596	E26	INC	60	B11018	120	BK	27K	550	97	750
CFL3596	GU24	CFL	13	LVC-13-SP-27	120	BK	27K	800	82	10,000
LED3596	GU24	LED	7	B1006	110-277	BK	27K	450	82	40,000

WALL SCONCE



3234

- Brushed Nickel, or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 4.75" W x 20.5" H x 4.25" Ext.
- Lamp Sold Separately

ADA



3422

- Brushed Nickel, or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 4.75" W x 20.5" H x 4" Ext.
- Lamps Sold Separately

ADA



3424

- Brushed Nickel, or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 5.75" W x 19.25" H x 4" Ext.
- Lamps Sold Separately

ADA



Wall Sconce & Vanity
configurable

3570

- Brushed Nickel, or Chrome
- Bubble Acrylic Diffuser
- 5W Integrated LED
- Wall mount
- 5.5" W x 13" H x 2.25" Ext.



ADA



3574

- Brushed Nickel, or Chrome
- Bubble Acrylic Diffuser
- 10W Integrated LED
- Wall mount
- 6.5" W x 24" H x 2.25" Ext.



ADA

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3234	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3234	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3234	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
ILED3570	Integrated	LED	5	Integrated	110-277	BN, CH	30K	450	90	40,000
ILED3574	Integrated	LED	10	Integrated	110-277	BN, CH	30K	900	90	40,000
INC3422	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3422	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3422	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC3424	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3424	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3424	GU24	LED	7	B21006	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE



3432

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.25" W x 15.25" H x 4" Ext.
- Lamp Sold Separately

ADA



3434

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.25" W x 15.25" H x 4" Ext.
- Lamp Sold Separately

ADA



3242

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Wall mount
- 4.5" W x 13.5" H x 4" Ext.
- Lamp Sold Separately

ADA



3246

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.5" W x 13.5" H x 4" Ext.
- Lamp Sold Separately

ADA



3244

- Brushed Nickel, or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.5" W x 11.5" H x 4" Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3242	E26	INC	60	B14384	120	ORB	27K	550	97	750
CFL3242	GU24	CFL	13	LVC-13-Q-27	120	ORB	27K	800	82	10,000
LED3242	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000
INC3244	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3244	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3244	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3246	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3246	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3246	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3432	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3432	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3432	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000
INC3434	E26	INC	60	B14384	120	BN, CH	27K	550	97	750
CFL3434	GU24	CFL	13	LVC-13-Q-27	120	BN, CH	27K	800	82	10,000
LED3434	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000

WALL SCONCE



3107

- Brushed Nickel, White, & Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 12" W x 6" H x 6" Ext.
- Lamp Sold Separately



Workhorse fixtures include end caps in all of the available finishes.



3111

- Brushed Nickel, White, & Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Wall mount
- 12" W x 6" H x 6" Ext.
- Lamp Sold Separately



3121

- Brushed Nickel, White, & Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Wall mount
- 12" W x 6" H x 6" Ext.
- Lamp Sold Separately

3540

- Brushed Nickel, or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 7.125" W x 16.25" H x 4" Ext.
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3107	E26	INC	60	B11018	120	BN, WH, ORB	27K	550	97	750
CFL3107	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED3107	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
INC3111	E26	INC	60	B11018	120	BN, WH, ORB	27K	550	97	750
CFL3111	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED3111	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
INC3121	E26	INC	60	B11018	120	BN, WH, ORB	27K	550	97	750
CFL3121	GU24	CFL	13	LVC-13-SP-27	120	BN, WH, ORB	27K	800	82	10,000
LED3121	GU24	LED	7	B1006	110-277	BN, WH, ORB	27K	450	82	40,000
INC3540	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3540	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3540	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000

WALL SCONCE



3190

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 5" W x 12" H x 4" Ext.
- Lamp Sold Separately

ADA



3368

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12.875" W x 10.75" H x 3.75" Ext.
- Lamp Sold Separately

ADA



3193

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 5" W x 17.75" H x 4" Ext.
- Lamp Sold Separately

ADA



3406

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Checkered Glass
- 1 Socket
- Wall mount
- 7.5" W x 14.5" H x 3.25" Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3190	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3190	GU24	CFL	13	LVC-13-Q-27	120	BN, CH, ORB	27K	800	82	10,000
LED3190	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC3193	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3193	GU24	CFL	13	LVC-13-Q-27	120	BN, CH, ORB	27K	800	82	10,000
LED3193	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC3368	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3368	GU24	CFL	13	LVC-13-Q-27	120	BN, CH, ORB	27K	800	82	10,000
LED3368	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000
INC3406	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3406	GU24	CFL	13	LVC-13-Q-27	120	BN, CH, ORB	27K	800	82	10,000
LED3406	GU24	LED	7	B2107	110-277	BN, CH, ORB	27K	450	82	40,000

WALL SCONCE



3174

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 7.5" W x 12" H x 3.625" Ext.
- Lamps Sold Separately



3176

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 8.75" W x 10.5" H x 4" Ext.
- Lamps Sold Separately



3188

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11.5" W x 10.75" H x 3.5" Ext.
- Lamps Sold Separately



3187

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11" W x 10" H x 4" Ext.
- Lamps Sold Separately



3390

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11" W x 10" H x 4" Ext.
- Lamps Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3174	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3174	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3174	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3176	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3176	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3176	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3187	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3187	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3187	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3188	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3188	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3188	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3390	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3390	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3390	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000

WALL SCONCE



3194

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Wall mount
- 16" W x 8.25" H x 4.75" Ext.
- Lamps Sold Separately



3198

- Brushed Nickel, or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 12" W x 6.5" H x 3.5" Ext.
- Lamp Sold Separately



ADA



3166

- White
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12.75" W x 6.5" H x 4" Ext.
- Lamp Sold Separately



ADA



3192

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Frosted Glass
- 1 Socket
- Wall mount
- 12.75" W x 6.5" H x 4" Ext.
- Lamp Sold Separately



ADA



3114

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12" W x 6.5" H x 3.5" Ext.
- Lamp Sold Separately



ADA

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3114	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL3114	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED3114	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC3166	E26	INC	60	B11018	120	WH	27K	550	97	750
CFL3166	GU24	CFL	13	LVC-13-SP-27	120	WH	27K	800	82	10,000
LED3166	GU24	LED	7	B2107	110-277	WH	27K	450	82	40,000
INC3192	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3192	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3192	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3194	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL3194	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED3194	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC3198	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL3198	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED3198	GU24	LED	7	B2107	110-277	BN, CH	27K	450	82	40,000

OUTDOOR WALL SCONCE



3506

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 24" H x 6.25" Ext.
- Lamps Sold Separately

3507

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 18" H x 6.25" Ext.
- Lamps Sold Separately



Integrated light engines available in some fixtures as a replacement to standard lamp sockets upon request. Look for this symbol in the catalog for fixtures with an I.L.E. option.

3512

- Brushed Nickel, or Oil Rubbed Bronze
- Frosted Glass
- 2 Sockets
- Wall mount
- 8" W x 16" H x 6" Ext.
- Lamps Sold Separately

3513

- Brushed Nickel, or Oil Rubbed Bronze
- Frosted Glass
- 2 Sockets
- Wall mount
- 11.75" W x 13" H x 6.75" Ext.
- Lamps Sold Separately

3514

- Brushed Nickel, or Oil Rubbed Bronze
- Frosted Glass
- 1 Socket
- Wall mount
- 5.5" W x 6.5" H x 4" Ext.
- Lamps Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3506	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3506	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3506	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3507	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3507	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3507	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3512	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3512	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3512	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3513	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3513	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3513	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3514	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3514	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3514	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000

OUTDOOR WALL SCONCE



3499

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 14" H x 6.25" Ext.
- Lamps Sold Separately

3501

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 18" H x 6.25" Ext.
- Lamps Sold Separately

3500

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 24" H x 6.25" Ext.
- Lamps Sold Separately



3511

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 14" H x 6.25" Ext.
- Lamps Sold Separately

3503

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 18" H x 6.25" Ext.
- Lamps Sold Separately

3502

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 24" H x 6.25" Ext.
- Lamps Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3499	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3499	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3499	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3500	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3500	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3500	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3501	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3501	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3501	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3502	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3502	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3502	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3503	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3503	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3503	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3511	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3511	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3511	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000

OUTDOOR WALL SCONCE



3510

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 14" H x 6.25" Ext.
- Lamps Sold Separately

3509

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 18" H x 6.25" Ext.
- Lamps Sold Separately

3508

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 24" H x 6.25" Ext.
- Lamps Sold Separately



3515

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 14" H x 6.25" Ext.
- Lamps Sold Separately

3505

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 18" H x 6.25" Ext.
- Lamps Sold Separately

3504

- Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10" W x 24" H x 6.25" Ext.
- Lamps Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3504	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3504	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3504	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3505	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3505	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3505	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3508	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3508	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3508	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3509	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3509	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3509	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3510	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3510	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3510	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000
INC3515	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL3515	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED3515	GU24	LED	7	B1006	110-277	BN, ORB	27K	450	82	40,000

OUTDOOR WALL SCONCE



3350

- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately



3352

- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately



3354

- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately



3608

- Black, or Silver
- White Frosted Glass
- 1 Socket
- Wall mount
- 5.5" W x 11" H x 5.5" Ext.
- Lamp Sold Separately



3525

- Brushed Nickel, Oil Rubbed Bronze, Silver, or White
- White Acrylic Lens
- 1 Socket
- Wall mount
- 11.5" W x 10.75" H x 3.5" Ext.
- Lamp Sold Separately




Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3350	E26	INC	60	B11018	120	BK, SI, WH	27K	550	97	750
CFL3350	GU24	CFL	13	LVC-13-SP-27	120	BK, SI, WH	27K	800	82	10,000
LED3350	GU24	LED	7	B1006	110-277	BK, SI, WH	27K	450	82	40,000
INC3352	E26	INC	60	B11018	120	BK, SI, WH	27K	550	97	750
CFL3352	GU24	CFL	13	LVC-13-SP-27	120	BK, SI, WH	27K	800	82	10,000
LED3352	GU24	LED	7	B1006	110-277	BK, SI, WH	27K	450	82	40,000
INC3354	E26	INC	60	B11018	120	BK, SI, WH	27K	550	97	750
CFL3354	GU24	CFL	13	LVC-13-SP-27	120	BK, SI, WH	27K	800	82	10,000
LED3354	GU24	LED	7	B1006	110-277	BK, SI, WH	27K	450	82	40,000
INC3525	E26	INC	60	B11018	120	BN, ORB, SI, WH	27K	550	97	750
CFL3525	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, SI, WH	27K	800	82	10,000
LED3525	GU24	LED	7	B1006	110-277	BN, ORB, SI, WH	27K	450	82	40,000
INC3608	E26	INC	60	B11018	120	BK, SI	27K	550	97	750
CFL3608	GU24	CFL	13	LVC-13-SP-27	120	BK, SI	27K	800	82	10,000
LED3608	GU24	LED	7	B1006	110-277	BK, SI	27K	450	82	40,000

OUTDOOR WALL SCONCE



3360

- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately



3362

- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately



3364

- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately



3366

- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately



3252

- Oil Rubbed Bronze Finish
- Clear Acrylic Lens
- 1 Socket
- Wall mount
- 6" W x 12.25" H x 8" Ext.
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC3252	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL3252	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED3252	GU24	LED	7	B1006	110-277	ORB	27K	450	82	40,000
INC3360	E26	INC	60	B11018	120	BK, BN, ORB	27K	550	97	750
CFL3360	GU24	CFL	13	LVC-13-SP-27	120	BK, BN, ORB	27K	800	82	10,000
LED3360	GU24	LED	7	B1006	110-277	BK, BN, ORB	27K	450	82	40,000
INC3362	E26	INC	60	B11018	120	BK, BN, ORB	27K	550	97	750
CFL3362	GU24	CFL	13	LVC-13-SP-27	120	BK, BN, ORB	27K	800	82	10,000
LED3362	GU24	LED	7	B1006	110-277	BK, BN, ORB	27K	450	82	40,000
INC3364	E26	INC	60	B11018	120	BK, BN, ORB	27K	550	97	750
CFL3364	GU24	CFL	13	LVC-13-SP-27	120	BK, BN, ORB	27K	800	82	10,000
LED3364	GU24	LED	7	B1006	110-277	BK, BN, ORB	27K	450	82	40,000
INC3666	E26	INC	60	B11018	120	BK, BN, ORB	27K	550	97	750
CFL3666	GU24	CFL	13	LVC-13-SP-27	120	BK, BN, ORB	27K	800	82	10,000
LED3666	GU24	LED	7	B1006	110-277	BK, BN, ORB	27K	450	82	40,000

NIGHT LIGHT



8884

- Brushed Nickel, White, or Oil Rubbed Bronze
- Integrated 1.2 watt LED
- Vertical or Horizontal Mounting Plates Included
- 2.9" W x 4.6" H x 1.5" Ext.
- Optional White or Amber Acrylic Lens Available



8882

- Brushed Nickel, Oil Rubbed Bronze, or White (paintable)
- Integrated 2.7 watt LED
- Vertical or Horizontal Mounting Plates Included
- 4.8" W x 8.6" H x 1.5" Ext.
- Optional White or Amber Acrylic Lens Available

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
LED8882	Integrated	LED	1.2	Integrated	120	BN, WH, ORB	30K	70	80	40,000
LED8884	Integrated	LED	2.7	Integrated	120	BN, WH, ORB	30K	160	80	40,000

LAMPS USED IN THIS SECTION



B11018

60 Watt • E26 Base • 545 Lumens
5,000 Rated Hrs.



LVC-13-SP-27

13 Watt • GU24 Base • 27K
800 Lumens • 10,000 Rated Hrs.



B1006

7 Watt • GU24 Base • 27/41K
700 Lumens • 50,000 Rated Hrs.



B2107

7 Watt • GU24 Base • 27/41K
700 Lumens • 50,000 Rated Hrs.

BATH VANITY



VANITY



6660

- Brushed Nickel or Chrome
- White Etched Glass
- 1 Socket
- 23" W x 6.5" H x 3.25" Ext
- Lamp Sold Separately



6400

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 1 Socket
- 13.75" W x 6.75" H x 3.25" Ext
- Lamp Sold Separately



6662

- Brushed Nickel or Chrome
- White Etched Glass
- 1 Socket
- 38" W x 6.5" H x 3.25" Ext
- Lamp Sold Separately



6402

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 25.25" W x 6.75" H x 4.25" Ext
- Lamp Sold Separately



6664

- Brushed Nickel or Chrome
- White Etched Glass
- 1 Socket
- 49" W x 6.5" H x 3.25" Ext
- Lamp Sold Separately



6404

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 3 Sockets
- 33.5" W x 6.75" H x 4.75" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
FLU6660	T5	FLU	14	B17068	120	BN, CH	27K	1350	85	20,000
FLU6662	T5	FLU	21	B17069	120	BN, CH	27K	2100	85	20,000
FLU6664	T5	FLU	28	B17070	120	BN, CH	27K	2900	85	20,000
INC6400	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6400	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED6400	GU24	LED	7	B2107	110-277	BN, CH	28K	700	75	50,000
INC6402	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6402	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED6402	GU24	LED	7	B2107	110-277	BN, CH	28K	700	75	50,000
INC6404	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6404	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED6404	GU24	LED	7	B2107	110-277	BN, CH	28K	700	75	50,000

VANITY



6800

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 29.75" W x 5.5" H x 4.5" Ext
- Lamp Sold Separately



6802

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 41.5" W x 5.5" H x 4.5" Ext
- Lamp Sold Separately

6810

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- 29.75" W x 4.25" H x 4" Ext
- Lamp Sold Separately



6812

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 41.5" W x 4.5" H x 4.75" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
FLU6800	T5 HO	FLU	14	B17050	120	BN, CH	27K	1350	85	20,000
LED6800	T8	LED	9	B5992	110-277	BN, CH	30K	900	>80	50,000
FLU6802	T5 HO	FLU	28	B17052	120	BN, CH	27K	2900	85	20,000
FLU6810	T5 HO	FLU	14	B17050	120	BN, CH	27K	1350	85	20,000
FLU6812	T5 HO	FLU	28	B17052	120	BN, CH	27K	2900	85	20,000

VANITY



6904

- Brushed Nickel, or Chrome
- Etched Linear Textured Glass
- Integrated 20w LED
- 28" W x 5" H x 4.25" Ext



6905

- Brushed Nickel, or Chrome
- Etched Linear Textured Glass
- Integrated 20w LED
- 36" W x 5" H x 4.25" Ext

6906

- Brushed Nickel, or Chrome
- Opal Glass
- Integrated 20w LED
- 25.5" W x 4.25" H x 3.25" Ext



6907

- Brushed Nickel, or Chrome
- Opal Glass
- Integrated 20w LED
- 30.25" W x 4.25" H x 3.25" Ext



6908

- Brushed Nickel, or Chrome
- Opal Glass
- Integrated 20w LED
- 42" W x 4.25" H x 3.25" Ext



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
LED6904	Integrated	LED	20	Integrated	120	BN, CH	30K	1300	90	40,000
LED6905	Integrated	LED	20	Integrated	120	BN, CH	30K	1300	90	40,000
LED6906	Integrated	LED	26	Integrated	120	BN, CH	30K	2080	90	40,000
LED6907	Integrated	LED	30	Integrated	120	BN, CH	30K	3040	90	40,000
LED6908	Integrated	LED	40	Integrated	120	BN, CH	30K	3200	90	40,000

VANITY



6424

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 29.375" W x 4.75" H x 4.75" Ext
- Lamp Sold Separately



6426

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 42.375" W x 4.75" H x 4.75" Ext
- Lamp Sold Separately

6410

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 1 Socket
- 12" W x 4.75" H x 3" Ext
- Lamp Sold Separately



6412

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 24" W x 4.75" H x 4.5" Ext
- Lamp Sold Separately



6414

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 32" W x 4.75" H x 4.5" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6424	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6424	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6424	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6426	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6426	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6426	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL6410	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6410	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL6412	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6412	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL6414	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6414	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY

3726

- Brushed Nickel, Chrome, Oil Rubbed Bronze, or Satin Aluminum
- White Polycarbonate Lens
- 1 Socket
- 26" W x 4.75" H x 4.25" Ext
- Lamp Sold Separately



3739

- Brushed Nickel, Chrome, Oil Rubbed Bronze, or Satin Aluminum
- White Polycarbonate Lens
- 1 Socket
- 39" W x 4.75" H x 4.25" Ext
- Lamp Sold Separately



6436

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- 30" W x 4" H x 4" Ext
- Lamp Sold Separately



6438

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- 42" W x 4" H x 4" Ext
- Lamp Sold Separately



6440

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- 54" W x 4" H x 4" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
FLU3726	T5HO	FLU	24	B17050	120	BN, CH, ORB, SA	27K	2000	85	20,000
ILED3726	Integrated	LED	25	Integrated LED	120	BN, CH, ORB, SA	30K	1900	80	40,000
FLU3739	T5HO	FLU	39	B17052	120	BN, CH, ORB, SA	27K	3100	85	20,000
ILED3739	Integrated	LED	36	Integrated LED	120	BN, CH, ORB, SA	30K	3300	80	40,000
FLU6436	T5 HO	FLU	24	B17050	120	BN, CH	27K	2000	85	20,000
LED6436	T8	LED	9	B5992	110-277	BN, CH	30K	900	>80	50,000
FLU6438	T5 HO	FLU	39	B17052	120	BN, CH	27K	3100	85	20,000
FLU6440	T5 HO	FLU	54	B17066	120	BN, CH	27K	5000	85	20,000
LED6440	T8	LED	18	B5994	110-277	BN, CH	30K	1800	>80	50,000

VANITY



6081

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 2 Sockets
- 24" W x 4.25" H x 6.125" Ext
- Lamp Sold Separately



6082

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 3 Sockets
- 36" W x 4.25" H x 6.125" Ext
- Lamp Sold Separately



6083

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 4 Sockets
- 48" W x 4.25" H x 6.125" Ext
- Lamp Sold Separately

6833

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 3 Sockets
- 30.5" W x 7" H x 4" Ext
- Lamp Sold Separately



6834

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 4 Sockets
- 40.5" W x 7" H x 4" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6081	E26	INC	60	B11018	120	CH, PB	27K	645	97	750
CFL6081	GU24	CFL	13	LVC-13-SP-27K	120	CH, PB	27K	800	82	10,000
LED6081	GU24	LED	7	B1006	110-277	CH, PB	27K	450	82	40,000
INC6082	E26	INC	60	B11018	120	CH, PB	27K	645	97	750
CFL6082	GU24	CFL	13	LVC-13-SP-27K	120	CH, PB	27K	800	82	10,000
LED6082	GU24	LED	7	B1006	110-277	CH, PB	27K	450	82	40,000
INC6083	E26	INC	60	B11018	120	CH, PB	27K	645	97	750
CFL6083	GU24	CFL	13	LVC-13-SP-27K	120	CH, PB	27K	800	82	10,000
LED6083	GU24	LED	7	B1006	110-277	CH, PB	27K	450	82	40,000
INC6833	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6833	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6833	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6834	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6834	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6834	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6876

- Brushed Nickel, Chrome
- Frosted Inner, Clear Outer Glass
- 3 Sockets
- 21" W x 7.5" H x 4.5" Ext
- Lamp Sold Separately



6877

- Brushed Nickel, Chrome
- Frosted Inner, Clear Outer Glass
- 4 Sockets
- 27" W x 7.5" H x 4.5" Ext
- Lamp Sold Separately



6878

- Brushed Nickel, Chrome
- Opal Glass
- 3 Sockets
- 24" W x 9" H x 5.5" Ext
- Lamp Sold Separately



6879

- Brushed Nickel, Chrome
- Opal Glass
- 4 Sockets
- 30" W x 9" H x 5.5" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6876	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6876	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6876	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6877	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6877	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6877	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6878	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6878	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6878	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6879	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6879	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6879	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6570

- Brushed Nickel or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.5" W x 7.5" H x 6" Ext
- Lamp Sold Separately



6572

- Brushed Nickel or Chrome
- Satin Etched Glass
- 3 Sockets
- 24.5" W x 7.5" H x 6" Ext
- Lamp Sold Separately



6574

- Brushed Nickel or Chrome
- Satin Etched Glass
- 4 Sockets
- 34.5" W x 7.5" H x 6" Ext
- Lamp Sold Separately



6560

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 14.25" W x 9.875" H x 6.125" Ext
- Lamp Sold Separately



6562

- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- 24.5" W x 7.5" H x 6.125" Ext
- Lamp Sold Separately



6564

- Brushed Nickel or Chrome
- Frosted Glass
- 4 Sockets
- 34.5" W x 7.5" H x 6.125" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6570	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6570	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6570	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6572	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6572	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6572	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6574	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6574	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6574	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6560	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6560	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6560	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6562	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6562	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6562	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6564	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6564	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6564	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6670

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- 7" W x 8.5" H x 8.5" Ext
- Lamp Sold Separately



6672

- Brushed Nickel or Chrome
- White Frosted Glass
- 2 Sockets
- 19" W x 7.25" H x 8" Ext
- Lamp Sold Separately




6674

- Brushed Nickel or Chrome
- White Frosted Glass
- 3 Sockets
- 24.25" W x 7.25" H x 8" Ext
- Lamp Sold Separately



6676

- Brushed Nickel or Chrome
- White Frosted Glass
- 4 Sockets
- 31" W x 7.25" H x 8" Ext
- Lamp Sold Separately



6822

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 14" W x 11.5" H x 6" Ext
- Lamp Sold Separately

6823

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 23.2" W x 11.5" H x 6" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6670	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6670	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6670	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6672	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6672	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6672	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6674	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6674	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6674	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6676	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6676	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6676	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6822	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6822	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6822	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6823	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6823	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6823	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6872

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 13.75" W x 8.25" H x 7.25" Ext
- Lamp Sold Separately

6873

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 22" W x 8.25" H x 7.25" Ext
- Lamp Sold Separately



6874

- Brushed Nickel or Chrome
- White Opal Glass
- 4 Sockets
- 30.5" W x 8.25" H x 7.25" Ext
- Lamp Sold Separately



6720

- Brushed Nickel or Chrome
- Clear Satin Etched Glass
- 3 Sockets
- 17.5" W x 10.25" H x 6.25" Ext
- Lamp Sold Separately



6722

- Brushed Nickel or Chrome
- Clear Satin Etched Glass
- 4 Sockets
- 24" W x 10.25" H x 6.25" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6720	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6720	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6720	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6722	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6722	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6722	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6872	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6872	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6872	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6873	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6873	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6873	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6874	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6874	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6874	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6842

- Brushed Nickel or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.75" W x 8.75" H x 5.5" Ext
- Lamp Sold Separately

6843

- Brushed Nickel or Chrome
- Satin Etched Glass
- 3 Sockets
- 23" W x 8.75" H x 5.5" Ext
- Lamp Sold Separately



6844

- Brushed Nickel or Chrome
- Satin Etched Glass
- 4 Sockets
- 31.25" W x 8.75" H x 5.5" Ext
- Lamp Sold Separately



6852

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 16.5" W x 8.5" H x 7.25" Ext
- Lamp Sold Separately

6853

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 24.5" W x 8.5" H x 7.25" Ext
- Lamp Sold Separately



6854

- Brushed Nickel or Chrome
- White Opal Glass
- 4 Sockets
- 31.25" W x 8.75" H x 5.5" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6842	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6842	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6842	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6843	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6843	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6843	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6844	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6844	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6844	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6852	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6852	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6852	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6853	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6853	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6853	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6854	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6854	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6854	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6862

- Brushed Nickel or Chrome
- White Etched Glass
- 2 Sockets
- 13.5" W x 8.5" H x 7.25" Ext
- Lamp Sold Separately

6863

- Brushed Nickel or Chrome
- White Etched Glass
- 3 Sockets
- 21.75" W x 8.5" H x 7.25" Ext
- Lamp Sold Separately

6864

- Brushed Nickel or Chrome
- White Etched Glass
- 4 Sockets
- 30" W x 8.75" H x 5.5" Ext
- Lamp Sold Separately



6122

- Brushed Nickel or Chrome
- White Etched Glass
- 2 Sockets
- 14" W x 8.625" H x 5.625" Ext
- Lamp Sold Separately

6123

- Brushed Nickel or Chrome
- White Etched Glass
- 3 Sockets
- 21.75" W x 8.625" H x 5.625" Ext
- Lamp Sold Separately



6124

- Brushed Nickel or Chrome
- White Etched Glass
- 4 Sockets
- 31.5" W x 8.625" H x 5.625" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6122	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6122	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6122	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6123	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6123	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6123	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6124	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6124	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6124	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6862	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6862	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6862	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6863	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6863	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6863	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6864	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6864	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6864	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY

6582

- Brushed Nickel or Chrome
- White Glass
- 3 Sockets
- 21" W x 8.25" H x 9" Ext
- Lamp Sold Separately

6584

- Brushed Nickel or Chrome
- White Glass
- 4 Sockets
- 28" W x 8.25" H x 9" Ext
- Lamp Sold Separately



6290

- Brushed Nickel or Chrome
- Frosted Glass
- 1 Socket
- 4.5" W x 6.5" H x 6" Ext
- Lamp Sold Separately

6292

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 18" W x 6.5" H x 6" Ext
- Lamp Sold Separately

6294

- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- 24" W x 6.5" H x 6" Ext
- Lamp Sold Separately

6296

- Brushed Nickel or Chrome
- Frosted Glass
- 4 Sockets
- 30" W x 6.5" H x 6" Ext
- Lamp Sold Separately

6298

- Brushed Nickel or Chrome
- Frosted Glass
- 5 Sockets
- 36" W x 6.5" H x 6" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6290	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6290	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6290	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6292	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6292	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6292	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6294	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6294	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6294	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6296	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6296	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6296	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6298	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6298	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6298	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6582	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6582	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6582	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6584	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6584	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6584	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6280

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 1 Socket
- 4.5" W x 8.25" H x 6.25" Ext
- Lamp Sold Separately



6282

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 2 Sockets
- 18" W x 7" H x 7" Ext
- Lamp Sold Separately



6284

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 3 Sockets
- 24" W x 7" H x 7" Ext
- Lamp Sold Separately



6286

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 34 Sockets
- 30" W x 7" H x 7" Ext
- Lamp Sold Separately

6288

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 5 Sockets
- 36" W x 7" H x 7" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6280	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6280	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6280	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6282	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6282	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6282	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6284	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6284	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6284	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6286	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6286	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6286	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6288	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6288	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6288	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6160

- Brushed Nickel or Chrome
- Satin Opal Glass
- 2 Sockets
- 14" W x 6.75" H x 6.25" Ext
- Lamp Sold Separately

6162

- Brushed Nickel or Chrome
- Satin Opal Glass
- 3 Sockets
- 24" W x 6.75" H x 6.25" Ext
- Lamp Sold Separately

6164

- Brushed Nickel or Chrome
- Satin Opal Glass
- 4 Sockets
- 30" W x 6.75" H x 6.25" Ext
- Lamp Sold Separately

6166

- Brushed Nickel or Chrome
- Satin Opal Glass
- 5 Sockets
- 36" W x 6.75" H x 6.25" Ext
- Lamp Sold Separately



6136

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 3 Sockets
- 18" W x 6.625" H x 7" Ext
- Lamp Sold Separately

6138

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 4 Sockets
- 24" W x 6.625" H x 7" Ext
- Lamp Sold Separately



6140

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 5 Sockets
- 30" W x 6.625" H x 7" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6136	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6136	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6136	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6138	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6138	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6138	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6140	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6140	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6140	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6160	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6160	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6160	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6162	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6162	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6162	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6164	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6164	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6164	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6166	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6166	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6166	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6020

- White
- White U-Bend Glass
- 1 Socket
- 4.5" W x 7.5" H x 4.5" Ext
- Lamp Sold Separately

6021

- White
- White U-Bend Glass
- 2 Sockets
- 14" W x 4.5" H x 4.5" Ext
- Lamp Sold Separately



6022

- White
- White U-Bend Glass
- 3 Sockets
- 24.5" W x 4.5" H x 4.5" Ext
- Lamp Sold Separately



6524

- White
- White Acrylic Lens
- 2 Sockets
- 26" W x 6" H x 4.5" Ext
- Lamp Sold Separately

6536

- White
- White Acrylic Lens
- 2 Sockets
- 38" W x 6" H x 4.5" Ext
- Lamp Sold Separately

6548

- White
- White Acrylic Lens
- 2 Sockets
- 50" W x 6" H x 4.5" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6020	E26	INC	60	B11018	120	WH	27K	645	97	750
CFL6020	GU24	CFL	13	LVC-13-SP-27K	120	WH	27K	800	82	10,000
LED6020	GU24	LED	7	B1006	110-277	WH	27K	450	82	40,000
INC6021	E26	INC	60	B11018	120	WH	27K	645	97	750
CFL6021	GU24	CFL	13	LVC-13-SP-27K	120	WH	27K	800	82	10,000
LED6021	GU24	LED	7	B1006	110-277	WH	27K	450	82	40,000
INC6022	E26	INC	60	B11018	120	WH	27K	645	97	750
CFL6022	GU24	CFL	13	LVC-13-SP-27K	120	WH	27K	800	82	10,000
LED6022	GU24	LED	7	B1006	110-277	WH	27K	450	82	40,000
FLU6524	T8	FLU	17	B17029	120	BN, ORB, CH	41K	1300	85	20,000
LED6524	T8	LED	9	B5992	110-277	BN, ORB, CH	30K	900	>80	50,000
FLU6536	T8	FLU	25	B17031	120	BN, ORB, CH	41K	2025	85	20,000
FLU6548	T8	FLU	32	B17026	120	BN, ORB, CH	41K	2800	85	20,000
LED6548	T8	LED	18	B5994	110-277	BN, ORB, CH	30K	1800	>80	50,000

VANITY



6044

- Brushed Nickel or Chrome
- Alabaster Glass
- 2 Sockets
- 14" W x 8" H x 8" Ext
- Lamp Sold Separately

6046

- Brushed Nickel or Chrome
- Alabaster Glass
- 3 Sockets
- 18" W x 8" H x 8" Ext
- Lamp Sold Separately



6048

- Brushed Nickel or Chrome
- Alabaster Glass
- 4 Sockets
- 24" W x 8" H x 8" Ext
- Lamp Sold Separately

6051

- Brushed Nickel or Chrome
- Alabaster Glass
- 5 Sockets
- 30" W x 8" H x 8" Ext
- Lamp Sold Separately

6077

- Brushed Nickel or Chrome
- Alabaster Glass
- 2 Sockets
- 19.5" W x 7.75" H x 8" Ext
- Lamp Sold Separately

6078

- Brushed Nickel or Chrome
- Alabaster Glass
- 3 Sockets
- 24" W x 7.75" H x 8" Ext
- Lamp Sold Separately



6079

- Brushed Nickel or Chrome
- Alabaster Glass
- 4 Sockets
- 32" W x 7.75" H x 8" Ext
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6044	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6044	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6044	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6046	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6046	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6046	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6048	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6048	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6048	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6051	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6051	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6051	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6077	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6077	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6077	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6078	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6078	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6078	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6079	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6079	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6079	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY

3 Light



6230

- Brushed Nickel
- White Acrylic Lens
- 3 Sockets
- 24.25" W x 11.25" H x 4.5" Ext
- Lamp Sold Separately

6232

- Brushed Nickel
- White Acrylic Lens
- 3 Sockets
- 48.25" W x 11.25" H x 4.5" Ext
- Lamp Sold Separately

4 Light



6254

- Brushed Nickel
- White Acrylic Lens
- 4 Sockets
- 24.75" W x 16" H x 4.5" Ext
- Lamp Sold Separately

6256

- Brushed Nickel
- White Acrylic Lens
- 4 Sockets
- 48.75" W x 16" H x 4.5" Ext
- Lamp Sold Separately

6392

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 Sockets
- 24.25" W x 6" H x 4.25" Ext
- Lamp Sold Separately



6396

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 Sockets
- 48" W x 6" H x 4.25" Ext
- Lamp Sold Separately



6394

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 Sockets
- 36" W x 6" H x 4.25" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6230	E26	INC	60	B11018	120	BN	27K	645	97	750
CFL6230	GU24	CFL	13	LVC-13-SP-27K	120	BN	27K	800	82	10,000
LED6230	GU24	LED	7	B1006	110-277	BN	27K	450	82	40,000
INC6232	E26	INC	60	B11018	120	BN	27K	645	97	750
CFL6232	GU24	CFL	13	LVC-13-SP-27K	120	BN	27K	800	82	10,000
LED6232	GU24	LED	7	B1006	110-277	BN	27K	450	82	40,000
INC6254	E26	INC	60	B11018	120	BN	27K	645	97	750
CFL6254	GU24	CFL	13	LVC-13-SP-27K	120	BN	27K	800	82	10,000
LED6254	GU24	LED	7	B1006	110-277	BN	27K	450	82	40,000
INC6256	E26	INC	60	B11018	120	BN	27K	645	97	750
CFL6256	GU24	CFL	13	LVC-13-SP-27K	120	BN	27K	800	82	10,000
LED6256	GU24	LED	7	B1006	110-277	BN	27K	450	82	40,000
FLU6392	T8	FLU	17	B17029	120	BN, ORB, CH	41K	1300	85	20,000
LED6392	T8	LED	9	B5992	110-277	BN, ORB, CH	30K	900	>80	50,000
FLU6394	T8	FLU	25	B17031	120	BN, ORB, CH	41K	2025	85	20,000
FLU6396	T8	FLU	18	B5994	120	BN, ORB, CH	30K	1800	>80	50,000
LED6396	T8	LED	32	B17026	110-277	BN, ORB, CH	41K	2800	85	20,000

VANITY



6224

- Chrome, or White
- White Acrylic Lens
- 2 Lamps (F17 T8)
- 24.8" W x 3.3" H x 5.25" Ext
- Lamp Sold Separately

6236

- Chrome, or White
- White Acrylic Lens
- 2 Lamps (F25 T8)
- 36.8" W x 3.3" H x 5.25" Ext
- Lamp Sold Separately

6248

- Chrome, or White
- White Acrylic Lens
- 2 Lamps (F32 T8)
- 48.8" W x 3.3" H x 5.25" Ext
- Lamp Sold Separately



6324

- White
- White Acrylic Lens
- 2 Lamps (F17 T8)
- 24.25" W x 4.375" H x 4.5" Ext
- Lamp Sold Separately

6336

- White
- White Acrylic Lens
- 2 Lamps (F25 T8)
- 36.25" W x 4.375" H x 4.5" Ext
- Lamp Sold Separately

6348

- White
- White Acrylic Lens
- 2 Lamps (F32 T8)
- 48.25" W x 4.375" H x 4.5" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
FLU6224	T8	FLU	17	B17029	120	BN, ORB, CH	41K	1300	85	20,000
LED6224	T8	LED	9	B5992	110-277	BN, ORB, CH	30K	900	>80	50,000
FLU6236	T8	FLU	25	B17031	120	BN, ORB, CH	41K	2025	85	20,000
FLU6248	T8	FLU	18	B5994	120	BN, ORB, CH	30K	1800	>80	50,000
LED6248	T8	LED	32	B17026	110-277	BN, ORB, CH	41K	2800	85	20,000
FLU6324	T8	FLU	17	B17029	120	BN, ORB, CH	41K	1300	85	20,000
LED6324	T8	LED	9	B5992	110-277	BN, ORB, CH	30K	900	>80	50,000
FLU6336	T8	FLU	25	B17031	120	BN, ORB, CH	41K	2025	85	20,000
FLU6348	T8	FLU	18	B5994	120	BN, ORB, CH	30K	1800	>80	50,000
LED6348	T8	LED	32	B17026	110-277	BN, ORB, CH	41K	2800	85	20,000

VANITY



6880

- Brushed Nickel, Chrome
- White Linen Glass
- 3 Sockets
- 22" W x 9.5" H x 6.13" Ext
- Lamp Sold Separately




6881

- Brushed Nickel, Chrome
- White Linen Glass
- 4 Sockets
- 31" W x 9.5" H x 6.13" Ext
- Lamp Sold Separately



6882

- Brushed Nickel, Chrome
- Satin Opal Bell Glass
- 3 Sockets
- 23.5" W x 9" H x 5.5" Ext
- Lamp Sold Separately



6883

- Brushed Nickel, Chrome
- Opal Glass
- 3 Sockets
- 20.5" W x 8.75" H x 5.13" Ext
- Lamp Sold Separately



6884

- Brushed Nickel, Chrome
- Opal Glass
- 4 Sockets
- 27.5" W x 8.75" H x 5.13" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6880	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6880	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6880	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6881	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6881	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6881	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6882	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6882	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6882	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6883	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6883	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6883	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6884	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6884	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6884	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6885

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 2 Sockets
- 18" W x 8.5" H x 6.5" Ext
- Lamp Sold Separately



6886

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 3 Sockets
- 24" W x 8.5" H x 6.5" Ext
- Lamp Sold Separately



6887

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 4 Sockets
- 32" W x 8.5" H x 6.5" Ext
- Lamp Sold Separately



6888

- Brushed Nickel, Chrome
- Line Painted Glass
- 3 Sockets
- 20" W x 9" H x 6" Ext
- Lamp Sold Separately



6889

- Brushed Nickel, Chrome
- Line Painted Glass
- 4 Sockets
- 27.5" W x 9" H x 6" Ext
- Lamp Sold Separately



6890

- Brushed Nickel, Chrome
- Line Painted Glass
- 5 Sockets
- 35" W x 9" H x 6" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6885	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6885	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6885	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6886	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6886	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6886	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6887	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6887	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6887	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6888	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6888	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6888	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6889	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6889	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6889	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6890	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6890	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6890	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6892

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.56" W x 9.63" H x 6.5" Ext
- Lamp Sold Separately



6893

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 3 Sockets
- 23.94" W x 10.5" H x 6.5" Ext
- Lamp Sold Separately



6894

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 4 Sockets
- 33.5" W x 11.25" H x 6.5" Ext
- Lamp Sold Separately



6896

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 2 Sockets
- 7" W x 4.75" H x 5.75" Ext
- Lamp Sold Separately



6897

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 3 Sockets
- 7" W x 4.75" H x 6.5" Ext
- Lamp Sold Separately



6898

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 4 Sockets
- 32.5" W x 7.5" H x 7.75" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6892	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6892	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6892	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6893	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6893	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6893	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6894	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6894	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6894	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6896	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6896	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6896	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6897	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6897	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6897	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6898	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6898	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6898	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000

VANITY



6900

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Frosted Glass
- 3 Sockets
- 22" W x 7.5" H x 6" Ext
- Lamp Sold Separately



6901

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Frosted Glass
- 4 Sockets
- 31.25" W x 7.5" H x 6" Ext
- Lamp Sold Separately



6902

- Brushed Nickel, or Chrome
- White Frosted Glass
- 3 Sockets
- 25.25" W x 5.25" H x 4.25" Ext
- Lamp Sold Separately



6903

- Brushed Nickel, or Chrome
- White Frosted Glass
- 4 Sockets
- 37.25" W x 5.25" H x 4.25" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6900	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6900	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6900	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6901	E26	INC	60	B11018	120	BN, ORB, CH	27K	645	97	750
CFL6901	GU24	CFL	13	LVC-13-SP-27K	120	BN, ORB, CH	27K	800	82	10,000
LED6901	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC6902	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6902	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6902	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC6903	E26	INC	60	B11018	120	BN, CH	27K	645	97	750
CFL6903	GU24	CFL	13	LVC-13-SP-27K	120	BN, CH	27K	800	82	10,000
LED6903	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

VANITY



6008

- Brushed Nickel, or Chrome
- 3 Sockets
- 18" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6010

- Brushed Nickel, or Chrome
- 4 Sockets
- 24" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6011

- Brushed Nickel, or Chrome
- 5 Sockets
- 30" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6012

- Brushed Nickel, or Chrome
- 6 Sockets
- 36" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6013

- Brushed Nickel, or Chrome
- 8 Sockets
- 48" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately



6000

- Brushed Nickel, or Chrome
- 3 Sockets
- 18" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6002

- Brushed Nickel, or Chrome
- 4 Sockets
- 24" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately



6025

- Brushed Nickel, or Chrome
- 5 Sockets
- 30" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

6004

- Brushed Nickel, or Chrome
- 6 Sockets
- 36" W x 4.5" H x 2.25" Ext
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC6008	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6008	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6010	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6010	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6011	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6011	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6012	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6012	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6013	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6013	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6000	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6000	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6002	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6002	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6025	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6025	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000
INC6004	E26	INC	40	B14024	120	BN, CH	27K	290	92	3,000
LED6004	E26	LED	7	B1064	110-277	BN, CH	27K	500	80	25,000

REPLACEMENT GLASS

Decorative Replacement Glass Vanity or
Fan Light Kit - 2 1/4" Fitter



105255

- Alabaster Melon
- 4.75" H x 5.5" W



105003

- Clear Ribbed Bell
- 4.25" H x 4.75" W



105674

- White Opal Glass
- 6.125" H x 4.375" W



105140

- Frosted Square
- 4.5" H x 4.5" W



105270

- Tuscan Scavo
- 5" H x 4.5" W



105252

- Faux Alabaster
- 5" H x 5.5" W



105268

- Frost Ribbed Bell
- 4.25" H x 4.75" W



105260

- Clear Prismatic
- 4.5" H x 4.5" W



105248

- Frosted Ribbed
- 4.75" H x 4.25" W



105250

- White Opal
- 4.25" H x 5" W

LAMPS



B2107

LED • 7 Watt • GU24 Base
27/41K • 700 Lumens
50,000 Rated Hrs.



LVC-13-SP-27

13 Watt • GU24 Base
27K • 800 Lumens
10,000 Rated Hrs.



B11018

60 Watt • E26 Base
545 Lumens
5,000 Rated Hrs.



B1006

LED • 7 Watt • GU24 Base
27K • 7450 Lumens
40,000 Rated Hrs.



B14024

40 Watt • E26 Base
415 Lumens
2,000 Rated Hrs.



B1064

LED • 7 Watt • E26 Base
27K • 500 Lumens
25,000 Rated Hrs.



B17050

T5HO • 14 Watt
27K • 1,350 Lumens
20,000 Rated Hrs.



B17052

T5HO • 28 Watt
27K • 2,900 Lumens
20,000 Rated Hrs.



B17066

T5HO • 54 Watt
27K • 5,000 Lumens
20,000 Rated Hrs.



B17068

T5 • 14 Watt
27K • 1,350 Lumens
20,000 Rated Hrs.



B17069

T5 • 21 Watt
27K • 2,100 Lumens
20,000 Rated Hrs.



B17070

T5 • 28 Watt
27K • 2,900 Lumens
20,000 Rated Hrs.



B17026

T8 • 32 Watt
41K • 2,800 Lumens
20,000 Rated Hrs.



B17029

T8 • 17 Watt
41K • 1,200 Lumens
20,000 Rated Hrs.



B17031

T8 • 25 Watt
27K • 1,350 Lumens
20,000 Rated Hrs.



B5992

LED • T8 • 9 Watt
30K • 900 Lumens
50,000 Rated Hrs.



B5994

LED • T8 • 18 Watt
30K • 1,800 Lumens
50,000 Rated Hrs.

INDEX

3102	pg.	27	3450	pg.	29	4002	pg.	19
3104	pg.	27	3452	pg.	29	4013	pg.	19
3107	pg.	32	3454	pg.	29	4016	pg.	19
3111	pg.	32	3456	pg.	29	4106	pg.	4
3114	pg.	35	3499	pg.	37	4108	pg.	4
3121	pg.	32	3500	pg.	37	4112	pg.	4
3166	pg.	35	3501	pg.	37	4116	pg.	4
3174	pg.	34	3502	pg.	37	4208	pg.	18
3176	pg.	34	3503	pg.	37	4209	pg.	18
3187	pg.	34	3504	pg.	38	4210	pg.	18
3188	pg.	34	3505	pg.	38	4212	pg.	20
3190	pg.	33	3506	pg.	36	4215	pg.	18
3192	pg.	35	3507	pg.	36	4220	pg.	16
3193	pg.	33	3508	pg.	38	4221	pg.	16
3194	pg.	35	3509	pg.	38	4222	pg.	16
3198	pg.	35	3510	pg.	38	4274	pg.	18
3230	pg.	26	3511	pg.	37	4294	pg.	20
3232	pg.	27	3512	pg.	36	4295	pg.	18
3234	pg.	30	3513	pg.	36	4297	pg.	20
3242	pg.	31	3514	pg.	36	4299	pg.	20
3244	pg.	31	3515	pg.	38	4320	pg.	16
3246	pg.	31	3525	pg.	39	4321	pg.	16
3252	pg.	40	3540	pg.	32	4322	pg.	16
3260	pg.	26	3560	pg.	25	4330	pg.	17
3262	pg.	26	3564	pg.	25	4331	pg.	17
3340	pg.	26	3568	pg.	25	4332	pg.	17
3350	pg.	39	3570	pg.	30	4350	pg.	14
3352	pg.	39	3572	pg.	25	4351	pg.	14
3354	pg.	39	3574	pg.	30	4352	pg.	14
3360	pg.	40	3576	pg.	28	4364	pg.	17
3362	pg.	40	3580	pg.	28	4366	pg.	17
3364	pg.	40	3584	pg.	28	4368	pg.	17
3366	pg.	40	3592	pg.	28	4370	pg.	8
3368	pg.	33	3596	pg.	29	4372	pg.	8
3390	pg.	34	3600	pg.	27	4374	pg.	8
3406	pg.	33	3604	pg.	26	4380	pg.	8
3422	pg.	30	3608	pg.	39	4382	pg.	8
3424	pg.	30	3726	pg.	49	4384	pg.	8
3432	pg.	31	3739	pg.	49	4394	pg.	7
3434	pg.	31	4000	pg.	19	4404	pg.	7

INDEX

4406	pg.	7	4612	pg.	9	6021	pg.	60
4420	pg.	21	4620	pg.	9	6022	pg.	60
4422	pg.	21	4622	pg.	9	6025	pg.	68
4424	pg.	21	4623	pg.	9	6044	pg.	61
4430	pg.	15	4630	pg.	10	6046	pg.	61
4431	pg.	15	4634	pg.	10	6048	pg.	61
4432	pg.	15	4662	pg.	3	6051	pg.	61
4440	pg.	15	4664	pg.	3	6077	pg.	61
4441	pg.	15	4670	pg.	3	6078	pg.	61
4442	pg.	15	4672	pg.	3	6079	pg.	61
4460	pg.	14	4676	pg.	2	6081	pg.	50
4461	pg.	14	4677	pg.	2	6082	pg.	50
4462	pg.	14	4678	pg.	2	6083	pg.	50
4470	pg.	13	4680	pg.	10	6122	pg.	56
4471	pg.	13	4681	pg.	10	6123	pg.	56
4472	pg.	13	4682	pg.	22	6124	pg.	56
4518	pg.	12	4684	pg.	22	6136	pg.	59
4518EM	pg.	12	4686	pg.	22	6138	pg.	59
4530	pg.	12	4786-5	pg.	6	6140	pg.	59
4530EM	pg.	12	4694	pg.	22	6160	pg.	59
4532	pg.	12	4730	pg.	5	6162	pg.	59
4540	pg.	13	4731	pg.	5	6164	pg.	59
4541	pg.	13	4732	pg.	5	6166	pg.	59
4542	pg.	13	4741	pg.	5	6224	pg.	63
4546	pg.	13	4780	pg.	6	6230	pg.	62
4560	pg.	11	4782	pg.	6	6232	pg.	62
4560EM	pg.	11	4784	pg.	6	6236	pg.	63
4563	pg.	11	4786	pg.	6	6248	pg.	63
4563EM	pg.	11	4802	pg.	2	6254	pg.	62
4573	pg.	7	4804	pg.	2	6256	pg.	62
4578	pg.	7	4806	pg.	2	6280	pg.	58
4579	pg.	7	6000	pg.	68	6282	pg.	58
4580	pg.	1	6002	pg.	68	6284	pg.	58
4582	pg.	1	6004	pg.	68	6286	pg.	58
4584	pg.	1	6008	pg.	68	6288	pg.	58
4590	pg.	21	6010	pg.	68	6290	pg.	57
4592	pg.	21	6011	pg.	68	6292	pg.	57
4594	pg.	21	6012	pg.	68	6294	pg.	57
4610	pg.	9	6013	pg.	68	6296	pg.	57
4611	pg.	9	6020	pg.	60	6298	pg.	57

INDEX

6324	pg.	63	6812	pg.	46	6902	pg.	67
6336	pg.	63	6822	pg.	53	6903	pg.	67
6348	pg.	63	6823	pg.	53	6904	pg.	47
6392	pg.	62	6833	pg.	50	6905	pg.	47
6394	pg.	62	6834	pg.	50	6906	pg.	47
6396	pg.	62	6842	pg.	55	6907	pg.	47
6400	pg.	45	6843	pg.	55	6908	pg.	47
6402	pg.	45	6844	pg.	55	8882	pg.	41
6404	pg.	45	6852	pg.	55	8884	pg.	41
6410	pg.	48	6853	pg.	55			
6412	pg.	48	6854	pg.	55			
6414	pg.	48	6862	pg.	56			
6424	pg.	48	6863	pg.	56			
6426	pg.	48	6864	pg.	56			
6436	pg.	49	6872	pg.	54			
6438	pg.	49	6873	pg.	54			
6440	pg.	49	6874	pg.	54			
6524	pg.	60	6876	pg.	51			
6536	pg.	60	6877	pg.	51			
6548	pg.	60	6878	pg.	51			
6560	pg.	52	6879	pg.	51			
6562	pg.	52	6880	pg.	64			
6564	pg.	52	6881	pg.	64			
6570	pg.	52	6882	pg.	64			
6572	pg.	52	6883	pg.	64			
6574	pg.	52	6884	pg.	64			
6582	pg.	57	6885	pg.	65			
6584	pg.	57	6886	pg.	65			
6660	pg.	45	6887	pg.	65			
6662	pg.	45	6888	pg.	65			
6664	pg.	45	6889	pg.	65			
6670	pg.	53	6890	pg.	65			
6672	pg.	53	6892	pg.	66			
6674	pg.	53	6893	pg.	66			
6676	pg.	53	6894	pg.	66			
6720	pg.	54	6896	pg.	66			
6722	pg.	54	6897	pg.	66			
6800	pg.	46	6898	pg.	66			
6802	pg.	46	6900	pg.	67			
6810	pg.	46	6901	pg.	67			


CEILING MOUNT
WALL SCONCE
VANITY

2017



E Lighting

AFFORDABLE ENERGY SOLUTIONS



NEVER FORGET
8-17-2008
9-11-2001



AFFORDABLE
ENERGY SOLUTIONS