

2017

PENDANTS & SEMI-FLUSH







E Lighting

AFFORDABLE ENERGY SOLUTIONS



SUMMARY

PENDANTS





SUMMARY

PENDANTS









SUMMARY

PENDANTS



SUMMARY

SEMI-FLUSH



TERMS & CONDITIONS

- 1. Terms** All accounts subject to a late penalty of 1 1/2% per month on all invoices that exceed 30 days. But in no event higher than permitted by law in the state where the obligation is payable.
- 2. Ordering** **Written or faxed** orders are requested. Minimum quantity requirements may vary from product to product.
- 3. Minimum Order** \$100 per shipment. Will-call orders \$100.00. Orders less than the minimum are subject to a \$10.00 fee.
- 4. Shipments** Specify on your order whether the shipment is to be made by UPS or Truck lines. Where no instructions are given, our shipping department will use its best judgment. Please note that we can not pack our product sufficiently to stop all damage by this type of carrier. The receipt of the goods must check in all orders for damage at the time of receipt. E Lighting assumes no responsibility for damage not noted at the time of delivery.
- 5. Drop Shipments** E Lighting (shipper) assumes no responsibility for damage or shortages on any Drop shipment that the recipient does not note on the freight bill. All drop shipments are shipped FOB at the point of shipment. Any goods received with damages are to be reported upon receipt to the carrier and a claim filed with them. The carrier is responsible for loss or breakage in transit, not the shipper. All drop ship orders are subject to a minimum fee of \$6.00 per bill of lading.
- 6. Freight Claims** Should any damage occur in transit DO NOT REFUSE TO ACCEPT THE SHIPMENT, as this causes you unnecessary shipping expense and delay. Any goods received with damages are to be reported upon receipt to the carrier and a claim filed with them. The carrier is responsible for loss or breakage in transit, not the shipper.
- 7. Returns** No merchandise is to be returned without prior authorization. Call 1-855-500-8882 & ask Customer Service for a return authorization.
- 8. Claims** All claims must be made in writing within 10 days after receipt of merchandise. All shipments should be inspected for damage upon delivery. E Lighting is not responsible for merchandise not inspected at the time of delivery.
- 9. Freight Policy** All orders are shipped freight collect unless prior arrangements have been made. All prepaid shipments must be paid within terms or loss of freight allowance will occur.
- 10. Prices** Receive our best price by ordering in standard cartons. Our prices are subject to change without notice. Pricing levels include Non-Distributor, Distributor and Master Distributor.
- 11. Non-Stock** Purchaser understands that all non-stock, special, custom, or modified versions of normal factory-stock items are not returnable.

Limited Warranty: All fixtures and products manufactured by E Lighting are warranted to be free from defects in workmanship and materials, as manufactured, for a period of Two full years from date of invoice. The illustrations and descriptions of the products also shown herein are for the sole purpose of identification and are not intended to imply that the products will fit any particular purpose or necessarily conform to the illustrations and/or the description.

Implied Labor Warranty

E Lighting will not accept any liability for labor claims, loss of profit, repairs or any other expenses incidental to replacement. The limited warranty of E Lighting brand lighting products is expressly in lieu of all other warranties, express, statutory or implied including the warranty of merchantability and fitness for a particular purpose.

Product Warranty

WARRANTY - ALL products in this catalog, other than our LED fixtures which has a Limited Power Supply warranty (Module, PC Board Diodes and Drivers) for three (3) years, are warranted to be free of defects in material and workmanship for one (1) year from date of purchase. This warranty is Limited to the correction of any such defect, or the replacement of any such defective item, provided that: (a) item(s) was (were) purchased from an authorized E Lighting distributor; (b) we are properly notified and consent to the return of the item(s) in question; (c) the item(s) is/are returned with proof of purchase date; and (d) it is found upon inspection by us that the item(s) is/are defective as noted above. This warranty does not cover Labor costs or consequential damages, nor does it apply to any item(s) that has/have been improperly installed, overloaded, altered, or otherwise abused by the customer, its agent(s) or employee(s).

ALL finishes have a Limited warranty for three (3) years, are specifically excluded from the terms of this warranty since they are subject to environmental and maintenance damages beyond our control. Other than the described obligation, we assume no further Liability with respect to the sale or use of our products. We make no warranty, express or implied, and disclaim any warranty of merchantability or fitness for a particular purpose.

PENDANTS



2922

- Clear & Stone Glass
- Clear outer tube with inner glass diffuser
- Ceiling mount
- 8 Sockets (G9 Halogen)
- 34" W x 19.3" H
- Lamps Sold Separately

2924

- Weathered Oak Wood with Dark Weathered Zinc hardware
- Steel & Wood
- Ceiling mount
- 8 Sockets
- 24" W x 36.5" H x 98" OAH
- Lamps Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2922	E12	INC	25	B14216	120	ORB	27K	158	97	2,500
LED2922	E12	LED	2	B6032	110-277	ORB	27K	230	80	40,000
INC2924	E12	INC	25	B14216	120	ORB	27K	158	97	2,500
LED2924	E12	LED	2	B6032	110-277	ORB	27K	230	80	40,000

PENDANTS



2928

- Distressed Antique Gray + Bronze
- Steel & Wood
- Ceiling mount
- 6 Sockets
- 28.5" W x 37.25" H x 118" OAH
- Lamps Sold Separately






2926

- Vintage Bronze (painted)
- Steel with Crystal Accents
- Ceiling mount
- 8 Sockets
- 36" W x 41.5" H x 115" OAH
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2926	E12	INC	25	B14216	120	ORB, CH	27K	158	97	2,500
LED2926	E12	LED	2	B6032	110-277	ORB, CH	27K	230	80	40,000
INC2928	E12	INC	25	B14216	120	ORB, CH	27K	158	97	2,500
LED2928	E12	LED	2	B6032	110-277	ORB, CH	27K	230	80	40,000

PENDANTS & SEMI-FLUSH



2468

- Clear Glass Diffuser
- Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 10 Sockets
- 31.875" W x 33.25" H
- Lamps Sold Separately

From design
to finished
product.




2474

- Gold Organza inner shade
- Leather middle banding
- Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 4 Sockets
- 36" W x 30" H
- Lamps Sold Separately


Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2468	E12	INC	25	B14216	120	ORB, CH	27K	158	97	2,500
LED2468	E12	LED	2	B6032	110-277	ORB, CH	27K	230	80	40,000
INC2474	E26	INC	60	B11018	120	ORB, CH	27K	550	97	750
CFL2474	GU24	CFL	13	LVC-13-SP-27	120	ORB, CH	27K	800	82	10,000
LED2474	GU24	LED	7	B2107	110-277	ORB, CH	27K	450	82	40,000

SEMI-FLUSH



2470

- Pleated Off-White butcher linen shade
- Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 26" W x 12" H
- Lamps Sold Separately



2472

- Pleated Off-White butcher linen shade
- Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 36" W x 16" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2470	E26	INC	60	B11018	120	ORB, CH	27K	550	97	750
CFL2470	GU24	CFL	13	LVC-13-SP-27	120	ORB, CH	27K	800	82	10,000
LED2470	GU24	LED	7	B2107	110-277	ORB, CH	27K	450	82	40,000
INC2472	E26	INC	60	B11018	120	ORB, CH	27K	550	97	750
CFL2472	GU24	CFL	13	LVC-13-SP-27	120	ORB, CH	27K	800	82	10,000
LED2472	GU24	LED	7	B2107	110-277	ORB, CH	27K	450	82	40,000

SEMI-FLUSH



Black Trim



White Trim

2640

- Outer Silver Organza Shade
- Inner Off-White Fabric Shade
- Brushed Nickel, Black, White, or Chrome
- Ceiling mount
- 10 Sockets
- 44" L x 32" W x 18" H
- 1" Bug Reveal
- Lamps Sold Separately

2644

- Outer Silver Organza Shade
- Inner Off-White Fabric Shade
- Brushed Nickel, Black, White, or Chrome
- Ceiling mount
- 10 Sockets
- 36" L x 36" W x 18" H
- 1" Bug Reveal
- Lamps Sold Separately

2648

- Outer Silver Organza Shade
- Inner Off-White Fabric Shade
- Brushed Nickel, Black, White, or Chrome
- Ceiling mount
- 10 Sockets
- 76" L x 20" W x 18" H
- 1" Bug Reveal
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2640	E26	INC	60	B11018	120	BN, BK, WH, CH	27K	550	97	750
CFL2640	GU24	CFL	13	LVC-13-SP-27	120	BN, BK, WH, CH	27K	800	82	10,000
LED2640	GU24	LED	7	B2107	110-277	BN, BK, WH, CH	27K	450	82	40,000
INC2644	E26	INC	60	B11018	120	BN, BK, WH, CH	27K	550	97	750
CFL2644	GU24	CFL	13	LVC-13-SP-27	120	BN, BK, WH, CH	27K	800	82	10,000
LED2644	GU24	LED	7	B2107	110-277	BN, BK, WH, CH	27K	450	82	40,000
INC2648	E26	INC	60	B11018	120	BN, BK, WH, CH	27K	550	97	750
CFL2648	GU24	CFL	13	LVC-13-SP-27	120	BN, BK, WH, CH	27K	800	82	10,000
LED2648	GU24	LED	7	B2107	110-277	BN, BK, WH, CH	27K	450	82	40,000

PENDANTS



2432

- Metal shade
- Off White Linen inner shade
- Etched Glass bottom diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 8" W x 8" H
- 1" Bug Reveal
- Lamps Sold Separately



2444

- Grey Organza outer shade
- Beige Linen inner shade
- Acrylic bottom diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 20" W x 11" H
- 1" Bug Reveal
- Lamps Sold Separately



2436

- White fabric
- Etched Glass bottom diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 18" W x 8.75" H
- 1" Bug Reveal
- Lamps Sold Separately



2434

- Etched Opal glass shade
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 18" W x 9.5" H
- 1" Bug Reveal
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2432	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2432	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2432	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	600	75	50,000
INC2434	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2434	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2434	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	600	75	50,000
INC2436	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2436	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2436	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	600	75	50,000
INC2444	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2444	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2444	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	600	75	50,000

PENDANTS & SEMI-FLUSH



2658

- Cream Ribbon Shade
- Brushed Nickel, Oil Rubbed Bronze, White, or Chrome
- Ceiling mount
- 2 Sockets
- 12" W x 70" H
- Lamps Sold Separately



2662

- Steel Accent Pendant
- Brushed Nickel, Oil Rubbed Bronze, White, or Chrome
- Ceiling mount
- 18" W x 18" H
- 14 Watt Integrated LED



2670

- White Globe Glass
- Brushed Nickel, Oil Rubbed Bronze, White, or Chrome
- Ceiling mount
- 1 Socket
- 21" W x 14" H
- 10' Silver Cord & Aircraft Cables Included
- *Orange Cord Optional*
- Lamps Sold Separately



2674

- Off White Linen Shade with Metal Accents
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 8 Sockets
- 48" W x 18" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
FLU2658	T8	FLU	32	B17026	120	BN, ORB, WH, CH	35K	2800	85	25,000
LED2658	T8	LED	18	B5994	110-277	BN, ORB, WH, CH	30K	1800	80	50,000
LED2662	Integrated	LED	14	Integrated	110-277	BN, ORB, WH, CH	30K	1200	80	50,000
INC2670	E26	INC	60	B11018	120	BN, ORB, WH, CH	27K	550	97	750
CFL2670	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, WH, CH	27K	800	82	10,000
LED2670	GU24	LED	7	B1006	110-277	BN, ORB, WH, CH	27K	600	75	50,000
INC2674	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2674	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2674	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS



2441

- White Silk Pleated shade
- Brushed Nickel, Oil Rubbed Bronze, Black, or Chrome
- Ceiling mount
- 1 Socket
- 7.5" W x 11" H
- Lamps Sold Separately

2440

- Black Silk Pleated shade
- Brushed Nickel, Oil Rubbed Bronze, Black, or Chrome
- Ceiling mount
- 1 Socket
- 7.5" W x 11" H
- Lamps Sold Separately



2448

- Grey Organza outer diffuser
- White Linen inner diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 25" W x 24" H
- Lamps Sold Separately



2450

- Grey Organza outer diffuser
- Beige Linen inner diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 25" W x 24" H
- Lamps Sold Separately



2456

- White Linen shade diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets • 5.5" W x 10" H x 44.5" L
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2440	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2440	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2440	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2441	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2441	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2441	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2448	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2448	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2448	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2450	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2450	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2450	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2456	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2456	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2456	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000

PENDANTS



2314

- Parchment shade with etched glass bottom diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 18" W x 14.5" H
- Lamps Sold Separately



2146

- White opal glass diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 16.5" W x 25.5" H
- Lamps Sold Separately



2315

- Parchment shade with etched glass bottom diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 5 Sockets
- 24" W x 14.5" H
- Lamps Sold Separately



2148

- White opal glass diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 4 Sockets
- 20" W x 28" H
- Lamps Sold Separately




2316

- Parchment shade with etched glass bottom diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 6 Sockets
- 30" W x 14.5" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2146	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2146	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2146	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2148	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2148	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2148	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2314	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2314	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2314	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2315	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2315	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2315	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2316	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2316	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2316	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS




1st Tier = 5 Lights

2nd Tier = 3 Lights

2318

- White Linen Shade with Etched Bottom Glass
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 8 Sockets
- 1st Tier = 24" W x 9" H
- 2nd Tier = 18" W x 8" H
- Lamps Sold Separately

Available in other materials & colors upon request



1st Tier = 3 Lights

2nd Tier = 5 Lights

3rd Tier = 6 Lights

2320

- White Linen Shade with Etched Bottom Glass
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 14 Sockets
- 1st Tier = 18" W x 18" H
- 2nd Tier = 24" W x 9.5" H
- 3rd Tier = 18" W x 8" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2318	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2318	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2318	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2320	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2320	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2320	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS



2306

- Cloth diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 18" W x 8" H

2308

- Cloth diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 5 Sockets
- 24" W x 9.5" H

2310

- Cloth diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 6 Sockets
- 30" W x 12" H

2464

- Clear Glass
- Brushed Nickel Finish
- Ceiling mount
- 3 Sockets
- 36" W x 38" H



2466

- Metal Shade
- Black Finish
- Ceiling mount
- 3 Sockets
- 36" W x 38" H



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2306	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2306	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2306	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2308	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2308	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2308	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2310	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2310	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2310	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2464	E26	INC	60	B11018	120	BN	27K	550	97	750
CFL2464	GU24	CFL	13	LVC-13-SP-27	120	BN	27K	800	82	10,000
LED2464	GU24	LED	7	B1006	110-277	BN	27K	600	75	50,000
INC2466	E26	INC	60	B11018	120	BN	27K	550	97	750
CFL2466	GU24	CFL	13	LVC-13-SP-27	120	BN	27K	800	82	10,000
LED2466	GU24	LED	7	B1006	110-277	BN	27K	600	75	50,000

PENDANTS & SEMI-FLUSH



2446

- White fabric shade
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 23.63" W x 6.8" H
- Lamps Sold Separately

2920

- White acrylic diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 15" W x 9.5" H
- Lamps Sold Separately



2442

- Oatmeal Linen shade
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 19.5" W x 25.75" H
- Lamps Sold Separately

2447

- Black fabric shade
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 23.63" W x 6.8" H
- Lamps Sold Separately





Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2442	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2442	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2442	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2446	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2446	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2446	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2447	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2447	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2447	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2920	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2920	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2920	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS



2300

- Aluminum leaves with White undercoat
- Satin Aluminum or Chrome
- 72 metal leaves
- 1 Socket
- 24.75" W x 16.5" H
- Lamps Sold Separately



2302

- Chrome solid-plated metal
- Metal shade
- Ceiling mount
- 14 Sockets
- 24" W x 59.75" H
- 12 volt
- Lamps Sold Separately



2304

- Chrome solid-plated metal
- Metal shade
- Ceiling mount
- 10 Sockets
- 16" W x 54.25" H
- 12 volt
- Lamps Sold Separately



2460

- White Opal glass diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 30" W x 80" OAH
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
LED2300	GU24	LED	9	B1014	120	SA, CH	27K	800	82	25,000
LED2302	G4	LED	2	B1070	12	CH	30K	160	80	25,000
LED2304	G4	LED	2	B1070	12	CH	30K	160	80	25,000
INC2460	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2460	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2460	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000


PENDANTS & SEMI-FLUSH



2540


- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Tuscan Scavo Glass
- Ceiling mount
- 3 Sockets
- 18" W x 16.875" H
- Lamp Sold Separately

Direct/Indirect pendants are created to be a distinctive point of style.



2524

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic
- Ceiling mount
- 4 Sockets
- 40" W x 16" D x 36" H
- Lamp Sold Separately



2542

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Tuscan Scavo Glass
- Ceiling mount
- 3 Sockets
- 41" W x 13.8" D x 60" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2524	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2524	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2524	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC2540	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2540	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2540	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC2542	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2542	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2542	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS



2458

- Clear Fresnal glass shade
- Brushed Nickel, Copper, or Chrome
- Ceiling mount
- 1 Socket
- 18" W x 16" H
- Lamps Sold Separately



2454

- Bronze Tinted glass shade
- Brushed Nickel or Chrome
- Ceiling mount
- 1 Socket
- 5.5" W x 6.69" H
- Lamps Sold Separately



2420

- Clear Mason Jar Glass
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 4.75" W x 7.75" H
- Lamps Sold Separately



2452

- Metal shade
- Brushed Nickel or Chrome
- Ceiling mount
- 1 Socket
- 7.5" W x 6.75" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2420	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2420	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2420	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2452	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2452	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2452	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2454	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2454	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2454	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2458	E26	INC	60	B11018	120	BN, CO, CH	27K	550	97	750
CFL2458	GU24	CFL	13	LVC-13-SP-27	120	BN, CO, CH	27K	800	82	10,000
LED2458	GU24	LED	7	B1006	110-277	BN, CO, CH	27K	600	75	50,000

BAR PENDANTS



2808

- Available finish: Brushed Nickel or Chrome
- Spun Metal Shade
- 1 Socket
- Overall Height: 58"
- 15.75" W x 14.25" H
- Lamp Sold Separately



2840

- Available finish: Brushed Nickel, or Chrome
- Spun Metal Shade
- 1 Socket
- 120" wire allows for additional rods.
- 8.5" W x 5" H
- Lamp Sold Separately



2844

- Available finish: Brushed Nickel, or Chrome
- Spun Metal Shade
- 1 Socket
- 18 AVG/3C SVT cord
- 105°C 300v FT2
- Supplied with 10' cord
- 12.75" W x 18.25" H
- Lamp Sold Separately



2111

- Available finish: Brushed Nickel, or Chrome
- Ceiling Mount / Cord Hung
- 1 Socket
- 60" 3C SVT cord
- 4" W x 11.125" H
- Lamp Sold Separately



2113

- Available finish: Brushed Nickel, or Chrome
- Ceiling Mount / Cord Hung
- 1 Socket
- 60" 3C SVT cord
- 6.25" W x 9.125" H
- Lamp Sold Separately



Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2808	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2808	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2808	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2840	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2840	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2840	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL2844	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2844	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL2111	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2111	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
CFL2113	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2113	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

PENDANTS



2422

- Bronze Tinted Glass shade
- Brushed Nickel, Oil Rubbed Bronze, Black, or Chrome
- Ceiling mount
- 1 Socket
- 5" W x 14" H
- Lamps Sold Separately



2424

- Bronze Tinted Glass shade
- Brushed Nickel, Oil Rubbed Bronze, Black, or Chrome
- Ceiling mount
- 1 Socket
- 8" W x 8" H
- Lamps Sold Separately



2426

- Clear Glass shade
- Brushed Nickel, Oil Rubbed Bronze, Black, or Chrome
- Ceiling mount
- 1 Socket
- 9" W x 12" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2422	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2422	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2422	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC2424	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2424	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2424	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC2426	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2426	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2426	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS



2428

- Clear glass diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 6.5" W x 13.5" H
- Lamps Sold Separately



2430

- Interior Gold metal shade
- Black, Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 9.5" W x 11" H
- Lamps Sold Separately



2438

- Hand blown glass diffuser
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Ceiling mount
- 1 Socket
- 8" W x 9" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2428	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2428	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2428	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000
INC2430	E26	INC	60	B11018	120	BK, BN, ORB, CH	27K	550	97	750
CFL2430	GU24	CFL	13	LVC-13-SP-27	120	BK, BN, ORB, CH	27K	800	82	10,000
LED2430	GU24	LED	7	B1006	110-277	BK, BN, ORB, CH	27K	450	82	40,000
INC2438	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	82	10,000
CFL2438	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	40,000
LED2438	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	10,000

PENDANTS



2410

- Etched Opal glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 3.5" W x 7.25" H
- 5" Canopy
- Lamps Sold Separately



2412

- White Etched glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 7.25" W x 6.5" H
- Lamps Sold Separately



2414

- White Opal glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4.75" W x 8" H
- Lamps Sold Separately



2416

- White Linen finished glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4" W x 7.625" H
- Lamps Sold Separately



2418

- White glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4" W x 5.75" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2410	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2410	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2410	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2412	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2412	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2412	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2414	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2414	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2414	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2416	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2416	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2416	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2418	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2418	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2418	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000

BAR PENDANTS



2780

- Available finish: Brushed Nickel, or Chrome
- Clear Prismatic Glass
- 1 Socket
- 9" W x 8" H
- Lamp Sold Separately

2782

- Available finish: Brushed Nickel, or Chrome
- Clear Prismatic Glass
- 1 Socket
- 12.75" x 11" H
- Lamp Sold Separately

2866

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass
- White Inner Glass
- 1 Socket
- 5" W x 9.5" H
- Lamp Sold Separately



2870

- Available finish: Brushed Nickel, or Chrome
- Translucent Outer Glass
- 1 Socket
- 10' Cord Included
- 3" W x 12" H
- Lamp Sold Separately

2120

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass, White Inner Glass
- 1 Socket
- 10' Cord Included
- 5" W x 9" H
- Lamp Sold Separately



2121

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass, White Inner Glass
- 1 Socket
- 10' Cord Included
- 5" W x 12" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2780	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2780	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2780	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2782	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2782	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2782	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2120	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
LED2120	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2121	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
LED2121	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2866	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2866	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2866	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
LED2870	GU10	LED	7	B1066	110-277	BN, CH	30K	450	82	25,000

BAR PENDANTS



2850

- Brushed Nickel, or Chrome
- Acid Etched Frost Glass
- Ceiling mount
- 1 Socket
- 5" W x 49.75" OAH
- Lamp Sold Separately



2860

- Brushed Nickel, or Chrome
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 49.75" OAH
- Lamp Sold Separately



2862

- Brushed Nickel, or Chrome
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 5" W x 47" OAH
- Lamp Sold Separately



2864

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 7.5" W x 49.75" OAH
- Lamp Sold Separately



2868

- Brushed Nickel, or Chrome
- Opal Glass
- Ceiling mount
- 1 Socket
- 4" W x 10.5" H
- Lamp Sold Separately



2872

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 5.5" W x 7.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2850	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2850	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2850	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2860	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2860	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2860	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2862	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2862	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2862	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2864	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2864	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2864	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2868	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2868	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2868	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2872	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2872	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2872	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

BAR PENDANTS



2900
Cream Glass

- Brushed Nickel, or Chrome
- Supplied with 10' cord
- Ceiling mount
- 1 Socket
- 4" W x 14" H
- Lamp Sold Separately



2902
White Opal Glass



2088

- Brushed Nickel, or Chrome
- White Opal Glass
- Ceiling mount
- 1 Socket
- 4" W x 12" H
- Lamp Sold Separately

2094

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 5.5" W x 7.5" H
- Lamp Sold Separately



2086

- Brushed Nickel, or Chrome
- White Opal Glass
- Ceiling mount
- 1 Socket
- 5" W x 7" H
- Lamp Sold Separately



2082

- Brushed Nickel, or Chrome
- Satin Etched Opal Glass
- Ceiling mount
- 1 Socket
- 6" W x 8" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2082	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2082	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2082	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2086	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2086	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2086	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2088	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2088	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2088	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2094	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2094	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2094	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2900	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2900	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2900	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2902	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2902	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2902	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000

BAR PENDANTS



2138

- Available finish: Brushed Nickel, or Chrome
- Hand blown art glass
- Ceiling mount
- 1 Socket
- 4.5" W x 6.5" H
- Lamp Sold Separately



2802

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 6" W x 5" H
- Lamp Sold Separately



2803

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Tuscan Scavo Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 5" H
- Lamp Sold Separately



2805

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2802	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL2802	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED2802	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC2803	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL2803	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED2803	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC2805	E26	INC	60	B11018	120	BN, CH, ORB	27K	550	97	750
CFL2805	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, ORB	27K	800	82	10,000
LED2805	GU24	LED	7	B1006	110-277	BN, CH, ORB	27K	450	82	40,000
INC2138	T4	INC	50	B14800	120	BN, CH, ORB	35K	430	82	2,000
LED2138	GU10	LED	7	B1066	110-277	BN, CH, ORB	27K	450	82	40,000

SEMI-FLUSH



2550

- Alabaster glass
- Brushed Nickel, Pewter, or Chrome
- Ceiling mount
- 1 Socket
- 11" W x 11" H
- Lamps Sold Separately



2551

- Alabaster glass
- Brushed Nickel, Pewter, or Chrome
- Ceiling mount
- 2 Sockets
- 13"W x 11" H
- Lamps Sold Separately



2552

- Opal glass
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 16"W x 15" H
- Lamps Sold Separately



2553

- Opal glass
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 20" W x 20" H
- Lamps Sold Separately



2500

- Alabaster glass
- Brushed Nickel, Pewter, or Chrome
- Ceiling mount
- 2 Sockets
- 15.75" W x 11.75" H
- Lamps Sold Separately



2501

- Alabaster glass
- Brushed Nickel, Pewter, or Chrome
- Ceiling mount
- 3 Sockets
- 20" W x 14.25" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2500	E26	INC	60	B11018	120	BN, PW, CH	27K	550	97	750
CFL2500	GU24	CFL	13	LVC-13-SP-27	120	BN, PW, CH	27K	800	82	10,000
LED2500	GU24	LED	7	B1006	110-277	BN, PW, CH	27K	600	75	50,000
INC2501	E26	INC	60	B11018	120	BN, PW, CH	27K	550	97	750
CFL2501	GU24	CFL	13	LVC-13-SP-27	120	BN, PW, CH	27K	800	82	10,000
LED2501	GU24	LED	7	B1006	110-277	BN, PW, CH	27K	600	75	50,000
INC2550	E26	INC	60	B11018	120	BN, PW, CH	27K	550	97	750
CFL2550	GU24	CFL	13	LVC-13-SP-27	120	BN, PW, CH	27K	800	82	10,000
LED2550	GU24	LED	7	B1006	110-277	BN, PW, CH	27K	600	75	50,000
INC2551	E26	INC	60	B11018	120	BN, PW, CH	27K	550	97	750
CFL2551	GU24	CFL	13	LVC-13-SP-27	120	BN, PW, CH	27K	800	82	10,000
LED2551	GU24	LED	7	B1006	110-277	BN, PW, CH	27K	600	75	50,000
INC2552	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2552	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2552	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2553	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2553	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2553	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000

PENDANTS & SEMI-FLUSH



2634

- White opal glass
- Brushed Nickel, or Chrome
- Ceiling mount
- 3 Sockets
- 16" W x 16" H
- Lamps Sold Separately



2642

- White opal glass
- Brushed Nickel, or Chrome
- Ceiling mount
- 2 Sockets
- 12" W x 13" H
- Lamps Sold Separately



2636

- White opal glass
- Brushed Nickel or Chrome
- Ceiling mount
- 3 Sockets
- 20" W x 20" H
- Lamps Sold Separately



2643

- White opal glass
- Brushed Nickel, or Chrome
- Ceiling mount
- 3 Sockets
- 16" W x 13.75" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2634	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2634	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2634	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2636	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2636	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2636	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2642	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2642	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2642	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2644	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2644	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2644	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000

PENDANTS & SEMI-FLUSH



2620

- Frosted white glass diffuser
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 15" W x 9" H
- Lamps Sold Separately



2624

- Frosted white glass
- Brushed Nickel, or Chrome
- Ceiling mount
- 2 Sockets
- 15" W x 23" H
- Lamps Sold Separately



2632

- Frosted white glass diffuser
- Brushed Nickel, or Chrome
- Ceiling mount
- 2 Sockets
- 15" W x 12.5" H
- Lamps Sold Separately



2622

- Frosted white glass
- Brushed Nickel, or Chrome
- Ceiling mount
- 2 Sockets
- 15" W x 23" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2620	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2620	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2620	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2622	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2622	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2622	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2624	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2624	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2624	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000
INC2632	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2632	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2632	GU24	LED	7	B1006	110-277	BN, CH	27K	600	75	50,000

PENDANTS & SEMI-FLUSH



2762

- White Opal glass
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 14" W x 12" H
- Lamps Sold Separately

2652



- White Opal glass
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 14" W x 21" H
- Lamps Sold Separately



2752

- White Opal glass with Cream Fabric
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 13" W x 11" H
- Lamps Sold Separately

2653



- White Opal glass
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 16" W x 21" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2652	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2652	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2652	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2653	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2653	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2653	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2752	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2752	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2752	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2762	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2762	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2762	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000

PENDANTS



2124

- White opal glass diffuser
- Brushed Nickel, Chrome, or White
- Ceiling mount
- 1 Socket
- 10" W x 10" H
- Lamps Sold Separately



2126

- White opal glass diffuser
- Brushed Nickel, Chrome, or White
- Ceiling mount
- 1 Socket
- 12" W x 12" H
- Lamps Sold Separately



2128

- White opal glass diffuser
- Brushed Nickel, Chrome, or White
- Ceiling mount
- 1 Socket
- 14" W x 14" H
- Lamps Sold Separately



2019

- White opal glass diffuser
- Brushed Nickel or Chrome
- Ceiling mount
- 1 Socket
- 12.5" W x 9.5" H x 52" Overall
- Lamps Sold Separately



2028

- White opal glass diffuser
- Brushed Nickel or Chrome
- Ceiling mount
- 1 Socket
- 9" W x 9.5" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2019	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2019	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2019	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2028	E26	INC	60	B11018	120	BN, CH	27K	550	97	750
CFL2028	GU24	CFL	13	LVC-13-SP-27	120	BN, CH	27K	800	82	10,000
LED2028	GU24	LED	7	B1006	110-277	BN, CH	27K	450	82	40,000
INC2124	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL2124	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED2124	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC2126	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL2126	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED2126	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000
INC2128	E26	INC	60	B11018	120	BN, CH, WH	27K	550	97	750
CFL2128	GU24	CFL	13	LVC-13-SP-27	120	BN, CH, WH	27K	800	82	10,000
LED2128	GU24	LED	7	B1006	110-277	BN, CH, WH	27K	450	82	40,000

PENDANTS



2110


- Alabaster glass diffuser
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 20" W x 20" H
- Lamps Sold Separately

2626

- Alabaster glass diffuser
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 24" W x 24" H
- Lamps Sold Separately

2112

- Alabaster glass diffuser
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 28" W x 28" H
- Lamps Sold Separately



2498

- Metal Cage around lamp
- Brushed Nickel or Oil Rubbed Bronze
- Ceiling mount
- 1 Socket
- 6.4" W x 50.8" OAH
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2110	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2110	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2110	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2112	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2112	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2112	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2626	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2626	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2626	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	450	82	40,000
INC2498	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
LED2498	E26	LED	7	B6054	110-277	BN, ORB, CH	27K	800	80	25,000
LED2626	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	450	82	40,000

PENDANTS & SEMI-FLUSH

2078



- Tuscan Scavo glass
- Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 15.25" W x 12.5" H
- Lamps Sold Separately

2080



- Tuscan Scavo
- Oil Rubbed Bronze
- Ceiling mount
- 4 Sockets
- 24" W x 36" H
- Lamps Sold Separately

2079



- Tuscan Scavo glass
- Oil Rubbed Bronze
- Ceiling mount
- 4 Sockets
- 19.625" W x 15.25" H
- Lamps Sold Separately

2068



- Tuscan Scavo glass
- Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 14" W x 14" H
- Lamps Sold Separately

2069



- Tuscan Scavo glass
- Oil Rubbed Bronze
- Ceiling mount
- 4 Sockets
- 14" W x 14" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2068	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2068	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2068	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000
INC2069	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2069	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2069	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000
INC2078	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2078	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2078	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000
INC2079	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2079	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2079	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000
INC2080	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2080	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2080	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000

PENDANTS & SEMI-FLUSH

2011



- Tuscan Scavo glass diffuser
- Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 22.5" W x 26" H
- 10' chain & wire included
- Lamps Sold Separately

2132



- Tuscan Scavo glass diffuser
- Oil Rubbed Bronze
- Ceiling mount
- 1 Socket
- 16" W x 14.5" H
- 10' chain & wire included
- Lamps Sold Separately



2606

- Tuscan Scavo glass diffuser
- Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 18" W x 24" H
- 10' chain & wire included
- Lamps Sold Separately



2607

- Tuscan Scavo glass diffuser
- Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 18" W x 14" H
- 10' chain & wire included
- Lamps Sold Separately



2608

- Tuscan Scavo glass diffuser
- Oil Rubbed Bronze
- Ceiling mount
- 1 Socket
- 14" W x 14" H
- 10' chain & wire included
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2606	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2606	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2606	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2607	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2607	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2607	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2608	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2608	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2608	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2011	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2011	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2011	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2132	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2132	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2132	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000

SEMI-FLUSH



2476

- White Glass with Silver Organza Outer Shade
- Brushed Nickel, or Oil Rubbed Bronze
- Ceiling mount
- 4 Sockets
- 20" W x 13.25" H
- Lamps Sold Separately



2478

- White Opal Etched Glass
- Brushed Nickel, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 13" W x 7.5" H
- Lamps Sold Separately



2480

- White Opal Etched Glass
- Brushed Nickel, Bronze, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 20" W x 12" H
- Lamps Sold Separately



2482

- White Opal Etched Glass
- Brushed Nickel, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 14.5" W x 8.5" H
- Lamps Sold Separately



2490

- White Frosted Glass
- Brushed Nickel, or Oil Rubbed Bronze
- Ceiling mount
- 3 Sockets
- 13" W x 7.5" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2476	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL2476	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED2476	GU24	LED	7	B2107	110-277	BN, ORB	27K	450	82	40,000
INC2478	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL2478	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED2478	GU24	LED	7	B2107	110-277	BN, ORB	27K	450	82	40,000
INC2480	E26	INC	60	B11018	120	BN, BZ, ORB	27K	550	97	750
CFL2480	GU24	CFL	13	LVC-13-SP-27	120	BN, BZ, ORB	27K	800	82	10,000
LED2480	GU24	LED	7	B2107	110-277	BN, BZ, ORB	27K	450	82	40,000
INC2482	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL2482	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED2482	GU24	LED	7	B2107	110-277	BN, ORB	27K	450	82	40,000
INC2490	E26	INC	60	B11018	120	BN, ORB	27K	550	97	750
CFL2490	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB	27K	800	82	10,000
LED2490	GU24	LED	7	B2107	110-277	BN, ORB	27K	450	82	40,000

SEMI-FLUSH



2494

- Satin Etched Glass
- Brushed Nickel
- Ceiling mount
- 3 Sockets
- 16" W x 13.25" H
- Lamps Sold Separately



2488

- White Linen Glass
- Brushed Nickel
- Ceiling mount
- 2 Sockets
- 12.25" W x 11" H
- Lamps Sold Separately



2496

- White Glass
- Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 20" W x 18" H
- Lamps Sold Separately



2486

- Cream Linen Shade
- Bronze, or Chrome
- Ceiling mount
- 3 Sockets
- 17" W x 13.5" H
- Lamps Sold Separately



2492

- Linen Shade
- Bronze
- Ceiling mount
- 2 Sockets
- 15" W x 11.75" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2486	E26	INC	60	B11018	120	BZ, CH	27K	550	97	750
CFL2486	GU24	CFL	13	LVC-13-SP-27	120	BZ, CH	27K	800	82	10,000
LED2486	GU24	LED	7	B2107	110-277	BZ, CH	27K	450	82	40,000
INC2488	E26	INC	60	B11018	120	BN	27K	550	97	750
CFL2488	GU24	CFL	13	LVC-13-SP-27	120	BN	27K	800	82	10,000
LED2488	GU24	LED	7	B2107	110-277	BN	27K	450	82	40,000
INC2492	E26	INC	60	B11018	120	BZ	27K	550	97	750
CFL2492	GU24	CFL	13	LVC-13-SP-27	120	BZ	27K	800	82	10,000
LED2492	GU24	LED	7	B2107	110-277	BZ	27K	450	82	40,000
INC2494	E26	INC	60	B11018	120	BN	27K	550	97	750
CFL2494	GU24	CFL	13	LVC-13-SP-27	120	BN	27K	800	82	10,000
LED2494	GU24	LED	7	B2107	110-277	BN	27K	450	82	40,000
INC2496	E26	INC	60	B11018	120	ORB	27K	550	97	750
CFL2496	GU24	CFL	13	LVC-13-SP-27	120	ORB	27K	800	82	10,000
LED2496	GU24	LED	7	B2107	110-277	ORB	27K	450	82	40,000

PENDANTS



Semi-Flush



Pendant

2462

- Satin etched glass diffuser
- Convertible Semi-Flush or Pendant mount
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 2 Sockets
- 14" W x 12.75" H
- Lamps Sold Separately

2024




- Clear ribbed glass & metal shade
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 1 Socket
- 16" W x 9.5" H
- Lamps Sold Separately

2122



- White opal glass diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 1 Socket
- 15" W x 9" H
- Lamps Sold Separately



2526

- White opal glass diffuser
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Ceiling mount
- 6 Sockets
- 24" W x 32" H
- Lamps Sold Separately


Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2462	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2462	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2462	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2024	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2024	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2024	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2122	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2122	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2122	GU24	LED	7	B1006	110-277	BN, ORB, CH	27K	600	75	50,000
INC2526	E26	INC	60	B11018	120	BN, ORB, CH	27K	550	97	750
CFL2526	GU24	CFL	13	LVC-13-SP-27	120	BN, ORB, CH	27K	800	82	10,000
LED2526	GU24	LED	7	B2107	110-277	BN, ORB, CH	27K	600	75	50,000

PENDANTS




2021

- Metal shade
- Can be custom painted (WH standard)
- Ceiling mount
- 1 Socket
- 16" W x 11" H
- Lamps Sold Separately



2014

- Metal shade
- Can be custom painted (GY standard)
- Ceiling mount
- 1 Socket
- 16" W x 9" H
- Lamps Sold Separately



Available Custom Paint Colors:
Black, Grey, White, Red, Yellow, Green, Blue, and Orange.
Custom paint to match any decor.



"-G" - Optional Protective Grill
(# AR516).

*Order the grill separate using
part # AR516 specify color.

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Avail. Finishes	Kelvin	Lumens	CRI	Rated Hours
INC2014	E26	INC	60	B11018	120	GY,BK,WH,RD,YW,GR,BL,OR	27K	550	97	750
CFL2014	GU24	CFL	13	LVC-13-SP-27	120	GY,BK,WH,RD,YW,GR,BL,OR	27K	800	82	10,000
LED2014	GU24	LED	7	B1006	110-277	GY,BK,WH,RD,YW,GR,BL,OR	27K	450	75	50,000
INC2021	E26	INC	60	B11018	120	GY,BK,WH,RD,YW,GR,BL,OR	27K	550	97	750
CFL2021	GU24	CFL	13	LVC-13-SP-27	120	GY,BK,WH,RD,YW,GR,BL,OR	27K	800	82	10,000
LED2021	GU24	LED	7	B1006	110-277	GY,BK,WH,RD,YW,GR,BL,OR	27K	450	75	50,000
AR516 (Grill)						GY,BK,WH,RD,YW,GR,BL,OR				

INDEX

2011	pg.	31	2426	pg.	17	2606	pg.	31
2014	pg.	35	2428	pg.	18	2607	pg.	31
2019	pg.	28	2430	pg.	18	2608	pg.	31
2021	pg.	35	2432	pg.	6	2620	pg.	26
2024	pg.	34	2434	pg.	6	2622	pg.	26
2028	pg.	28	2436	pg.	6	2624	pg.	26
2068	pg.	30	2438	pg.	18	2626	pg.	29
2069	pg.	30	2440	pg.	8	2632	pg.	26
2078	pg.	30	2441	pg.	8	2634	pg.	25
2079	pg.	30	2442	pg.	12	2636	pg.	25
2080	pg.	30	2444	pg.	6	2640	pg.	5
2082	pg.	22	2446	pg.	12	2642	pg.	25
2086	pg.	22	2447	pg.	12	2643	pg.	25
2088	pg.	22	2448	pg.	8	2644	pg.	5
2094	pg.	22	2450	pg.	8	2648	pg.	5
2110	pg.	29	2452	pg.	15	2652	pg.	27
2111	pg.	16	2454	pg.	15	2653	pg.	27
2112	pg.	29	2456	pg.	8	2658	pg.	7
2113	pg.	16	2458	pg.	15	2662	pg.	7
2120	pg.	20	2460	pg.	13	2670	pg.	7
2121	pg.	20	2462	pg.	34	2674	pg.	7
2122	pg.	34	2464	pg.	11	2752	pg.	27
2124	pg.	28	2466	pg.	11	2762	pg.	27
2126	pg.	28	2468	pg.	3	2780	pg.	20
2128	pg.	28	2470	pg.	4	2782	pg.	20
2132	pg.	31	2472	pg.	4	2802	pg.	23
2138	pg.	23	2474	pg.	3	2803	pg.	23
2146	pg.	9	2476	pg.	32	2805	pg.	23
2148	pg.	9	2478	pg.	32	2808	pg.	16
2300	pg.	13	2480	pg.	32	2840	pg.	16
2302	pg.	13	2482	pg.	32	2844	pg.	16
2304	pg.	13	2486	pg.	33	2850	pg.	21
2306	pg.	11	2488	pg.	33	2860	pg.	21
2308	pg.	11	2490	pg.	32	2862	pg.	21
2310	pg.	11	2492	pg.	33	2864	pg.	21
2314	pg.	9	2494	pg.	33	2866	pg.	20
2315	pg.	9	2496	pg.	33	2868	pg.	21
2316	pg.	9	2498	pg.	29	2870	pg.	20
2318	pg.	10	2500	pg.	24	2872	pg.	21
2320	pg.	10	2501	pg.	24	2900	pg.	22
2410	pg.	19	2524	pg.	14	2902	pg.	22
2412	pg.	19	2526	pg.	34	2920	pg.	12
2414	pg.	19	2540	pg.	14	2922	pg.	1
2416	pg.	19	2542	pg.	14	2924	pg.	1
2418	pg.	19	2550	pg.	24	2926	pg.	2
2420	pg.	15	2551	pg.	24	2928	pg.	2
2422	pg.	17	2552	pg.	24			
2424	pg.	17	2553	pg.	24			

LAMPS USED IN THIS SECTION

LED



B1006

7 Watt • GU24 Base • 27K • 450 Lumens
82 CRI • 40,000 Rated Hrs. • 110-277v

B1014

9 Watt • GU24 Base • 27K • 800 Lumens
82 CRI • 25,000 Rated Hrs. • 110-277v



B2107

7 Watt • GU24 Base • 27/41K
700 Lumens • 50,000 Rated Hrs.



B1066

7 Watt • GU24 Base • 27K • 800 Lumens
82 CRI • 25,000 Rated Hrs. • 110-277v



B5994

48" • 18 Watt • T8 Base • 30K
1800 Lumens • 50,000 Rated Hrs.



B1070

2 Watt • G4 Base • 30K • 160 Lumens
25,000 Rated Hrs. • 12v



B6032

2 Watt • E12 Base • 27K • 230 Lumens
40,000 Rated Hrs. • 110-277v

FLUORESCENT



LVC-13-SP-27

13 Watt • GU24 Base • 27K
800 Lumens • 10,000 Rated Hrs.



B17026

32 Watt • T8 Base • 35K • 2800 Lumens
20,000 Rated Hrs.

INCANDESCENT WITH LED EQUIVALENT



B11018

60 Watt • E26 Base • 545 Lumens
5,000 Rated Hrs.



LED Equivalent

B1002

7 Watt • E26 Base • 450 Lumens • 27K
40,000 Rated Hrs.



B14216

25 Watt • E12 Base • 158 Lumens
2,500 Rated Hrs.



LED Equivalent

B1060

5 Watt • E12 Base • 350 Lumens • 27K
25,000 Rated Hrs.

PENDANTS & SEMIFLUSH

2017



E Lighting

AFFORDABLE ENERGY SOLUTIONS



NEVER FORGET
8-17-2008
9-11-2001



AFFORDABLE
ENERGY SOLUTIONS

Copyright ©2017 RVLT - E Lighting, Inc. All Rights Reserved

PENDANTS